

Panasonic sensors

Ordering Code	Description	MOQ
AMN11111	Panasonic Passive Infrared Motion Sensor; 5m lens, black, detection 100°/82°, VDD 3.0 to 6.0 VDC, output: digital	50
AMN11112	Panasonic Passive Infrared Motion Sensor; 5m lens, white detection 100°/82°, VDD 3.0 to 6.0 VDC, output: digital	50
AMN12111	Panasonic Passive Infrared Motion Sensor; 2m lens, black, detection 91°/91°, VDD 3.0 to 6.0 VDC, output: digital	50
AMN12112	Panasonic Passive Infrared Motion Sensor; 2m lens, white, detection 91°/91°, VDD 3.0 to 6.0 VDC, output: digital	50
AMN13111	Panasonic Passive Infrared Motion Sensor; 5m lens, black, detection 38°/22°, VDD 3.0 to 6.0 VDC, output: digital	50
AMN13112	Panasonic Passive Infrared Motion Sensor; 5m lens, white, detection 38°/22°, VDD 3.0 to 6.0 VDC, output: digital	50
AMN14111	Panasonic Passive Infrared Motion Sensor; 10m lens, black, detection 110°/93°, VDD 3.0 to 6.0 VDC, output: digital	50
AMN14112	Panasonic Passive Infrared Motion Sensor; 10m lens, white, detection 110°/93°, VDD 3.0 to 6.0 VDC, output: digital	50
AMN21111	Panasonic Passive Infrared Motion Sensor; 5m lens, black, detection 100°/82°, VDD 3.0 to 6.0 VDC, output: analogue	50
AMN21112	Panasonic Passive Infrared Motion Sensor; 5m lens, white, detection 100°/82°, VDD 3.0 to 6.0 VDC, output: analogue	50
AMN22111	Panasonic Passive Infrared Motion Sensor; 2m lens, black, detection 91°/91°, VDD 4.5 to 5.5 VDC, output: analogue	50
AMN22112	Panasonic Passive Infrared Motion Sensor; 2m lens, white, detection 91°/91°, VDD 4.5 to 5.5 VDC, output: analogue	50
AMN23111	Panasonic Passive Infrared Motion Sensor; 5m lens, black, detection 38°/22°, VDD 4.5 to 5.5 VDC, output: analogue	50
AMN23112	Panasonic Passive Infrared Motion Sensor; 5m lens, white, detection 38°/22°, VDD 4.5 to 5.5 VDC, output: analogue	50
AMN24111	Panasonic Passive Infrared Motion Sensor; 10m lens, black, detection 110°/93°, VDD 4.5 to 5.5 VDC, output: analogue	50
AMN24112	Panasonic Passive Infrared Motion Sensor; 10m lens, white, detection 110°/93°, VDD 4.5 to 5.5 VDC, output: analogue	50
AMN31111	Panasonic Passive Infrared Motion Sensor; 5m lens, black, detection 100°/82°, VDD 3.0 to 6.0 VDC, output: digital	50
AMN31112	Panasonic Passive Infrared Motion Sensor; 5m lens, white, detection 100°/82°, VDD 3.0 to 6.0 VDC, output: digital	50
AMN32111	Panasonic Passive Infrared Motion Sensor; 2m lens, black, detection 91°/91°, VDD 3.0 to 6.0 VDC, output: digital	50
AMN32112	Panasonic Passive Infrared Motion Sensor; 2m lens, white, detection 91°/91°, VDD 3.0 to 6.0 VDC, output: digital	50
AMN33111	Panasonic Passive Infrared Motion Sensor; 5m lens, black, detection 38°/22°, VDD 3.0 to 6.0 VDC, output: digital	50
AMN33112	Panasonic Passive Infrared Motion Sensor; 5m lens, white, detection 38°/22°, VDD 3.0 to 6.0 VDC, output: digital	50
AMN34111	Panasonic Passive Infrared Motion Sensor; 10m lens, black, detection 110°/93°, VDD 3.0 to 6.0 VDC, output: digital	50
AMN34112	Panasonic Passive Infrared Motion Sensor; 10m lens, white, detection 110°/93°, VDD 3.0 to 6.0 VDC, output: digital	50
AMN41121	Panasonic Passive Infrared Motion Sensor; 5m lens, black, detection 100°/82°, VDD 2.2 to 3.0 VDC, output: digital	50
AMN41122	Panasonic Passive Infrared Motion Sensor; 5m lens, white, detection 100°/82°, VDD 2.2 to 3.0 VDC, output: digital	50
AMN42121	Panasonic Passive Infrared Motion Sensor; 2m lens, black, detection 91°/91°, VDD 2.2 to 3.0 VDC, output: digital	50
AMN42122	Panasonic Passive Infrared Motion Sensor; 2m lens, white, detection 91°/91°, VDD 2.2 to 3.0 VDC, output: digital	50
AMN43121	Panasonic Passive Infrared Motion Sensor; 5m lens, black, detection 38°/22°, VDD 2.2 to 3.0 VDC, output: digital	50
AMN43122	Panasonic Passive Infrared Motion Sensor; 5m lens, white, detection 38°/22°, VDD 2.2 to 3.0 VDC, output: digital	50
AMN44121	Panasonic Passive Infrared Motion Sensor; 10m lens, black, detection 110°/93°, VDD 2.2 to 3.0 VDC, output: digital	50
AMN44122	Panasonic Passive Infrared Motion Sensor; 10m lens, white, detection 110°/93°, VDD 2.2 to 3.0 VDC, output: digital	50
EKMB11011	Panasonic PaPIRs MOTION SENSOR, WL series PE 5m (1uA, white, digital)	50
EKMB11011	Panasonic PaPIRs MOTION SENSOR, WL series PE 5m (1uA, black, digital)	50
EKMB11011	Panasonic PaPIRs MOTION SENSOR, WL series PE 5m (1uA, pearl white, digital)	50
EKMB11031	Panasonic PaPIRs MOTION SENSOR, WL series, PE 12m (1uA, white, digital)	50
EKMB11031	Panasonic PaPIRs MOTION SENSOR, WL series, PE 12m (1uA, black, digital)	50
EKMB11031	Panasonic PaPIRs MOTION SENSOR, WL series, PE 12m (1uA, pearl white, digital)	50
EKMB12011	Panasonic PaPIRs MOTION SENSOR, WL series PE 5m (2uA, white, digital)	50
EKMB12011	Panasonic PaPIRs MOTION SENSOR, WL series PE 5m (2uA, black, digital)	50
EKMB12011	Panasonic PaPIRs MOTION SENSOR, WL series PE 5m (2uA, pearl white, digital)	50
EKMB12031	Panasonic PaPIRs MOTION SENSOR, WL series, PE 12m (2uA, white, digital)	50
EKMB12031	Panasonic PaPIRs MOTION SENSOR, WL series, PE 12m (2uA, black, digital)	50
EKMB12031	Panasonic PaPIRs MOTION SENSOR, WL series, PE 12m (2uA, pearl white, digital)	50
EKMB13011	Panasonic PaPIRs MOTION SENSOR, WL series PE 5m (6uA, white, digital)	50
EKMB13011	Panasonic PaPIRs MOTION SENSOR, WL series PE 5m (6uA, black, digital)	50
EKMB13011	Panasonic PaPIRs MOTION SENSOR, WL series PE 5m (6uA, pearl white, digital)	50
EKMB13031	Panasonic PaPIRs MOTION SENSOR, WL series, PE 12m (6uA, white, digital)	50
EKMB13031	Panasonic PaPIRs MOTION SENSOR, WL series, PE 12m (6uA, black, digital)	50
EKMB13031	Panasonic PaPIRs MOTION SENSOR, WL series, PE 12m (6uA, pearl white, digital)	50
EKMC16001	Panasonic PaPIRs Motion Sensor, without lens, 5m (170uA, digital)	50
EKMC16011	Panasonic PaPIRs MOTION SENSOR, VZ series PE 5m (170uA, white, digital)	50
EKMC16011	Panasonic PaPIRs MOTION SENSOR, VZ series PE 5m (170uA, black, digital)	50
EKMC16011	Panasonic PaPIRs MOTION SENSOR, VZ series PE 5m (170uA, pearl white, digital)	50
EKMC16031	Panasonic PaPIRs MOTION SENSOR, VZ series, PE 12m (170uA, white, digital)	50
EKMC16031	Panasonic PaPIRs MOTION SENSOR, VZ series, PE 12m (170uA, black, digital)	50
EKMC16031	Panasonic PaPIRs MOTION SENSOR, VZ series, PE 12m (170uA, pearl white, digital)	50
AXA2R6302	Panasonic Connector, Honda, SD card socket,(R), without stand off	700
AXA2R6302	Panasonic Connector, Honda, SD card socket, (R) robust and EMI resistant	700
AXA2R6306	Panasonic Connector, Honda, SD card socket, (R) robust and EMI resistant	700
AXA2R6306	Panasonic Connector, Honda, SD card socket, (R) robust and EMI resistant	700

AXA2R6332	Panasonic Connector, Honda, SD card socket, (R), stand off 1.5mm	700
AXA2R6332	Panasonic Connector, Honda, SD card socket, (R) robust and EMI resistant	700
AXA2R6336	Panasonic Connector, Honda, SD card socket, (R) robust and EMI resistant	700
AXA2R6336	Panasonic Connector, Honda, SD card socket, (R) robust and EMI resistant	700
AXA2R7302	Panasonic Connector, Honda, SD card socket, (R) robust and EMI resistant	700
AXA2R7302	Panasonic Connector, Honda, SD card socket, (R) robust and EMI resistant	700
AXA2R7306	Panasonic Connector, Honda, SD card socket, (R) robust and EMI resistant	700
AXA2R7306	Panasonic Connector, Honda, SD card socket, (R) robust and EMI resistant	700
AXA2R7332	Panasonic Connector, Honda, SD card socket, (R) robust and EMI resistant	700
AXA2R7332	Panasonic Connector, Honda, SD card socket, (R) robust and EMI resistant	700
AXA2R7336	Panasonic Connector, Honda, SD card socket, (R) robust and EMI resistant	700
AXA2R7336	Panasonic Connector, Honda, SD card socket, (R) robust and EMI resistant	700
AXC51F404	Panasonic Connector, CF, Receptacle, 0.40mm pitch, 40 contacts	5000
AXC51S415	Panasonic Connector, CS, Receptacle, 0.50mm pitch, 41 contacts	5000
AXC61F404	Panasonic Connector, CF, Plug, 0.40mm pitch, 40 contacts	5000
AXC61S417	Panasonic Connector, CS, Plug, 0.50mm pitch, 41 contacts	5000
AXC81F404	Panasonic Connector, CF, Plug attachment (Cover shell), 0.40mm pitch, 40 contacts	5000
AXC81S417	Panasonic Connector, CS, Plug attachment (cover shell), 0.50mm pitch, 41 contacts	5000
AXE160224	Panasonic Connector; A4US Series; Socket; 0.40mm pitch; 60 contacts	10000
AXE180224	Panasonic Connector; A4US Series; Socket; 0.40mm pitch; 80 contacts	10000
AXE280224	Panasonic Connector; A4US Series; Header; 0.40mm pitch; 80 contacts	10000
AXE300124	Panasonic Connector, A4F, Socket, 0.40mm pitch, 100 contacts	5000
AXE310124	Panasonic Connector, A4F, Socket, 0.40mm pitch, 10 contacts	5000
AXE312124	Panasonic Connector, A4F, Socket, 0.40mm pitch, 12 contacts	5000
AXE316124	Panasonic Connector, A4F, Socket, 0.40mm pitch, 16 contacts	5000
AXE320124	Panasonic Connector, A4F, Socket, 0.40mm pitch, 20 contacts	5000
AXE324124	Panasonic Connector, A4F, Socket, 0.40mm pitch, 24 contacts	5000
AXE326124	Panasonic Connector, A4F, Socket, 0.40mm pitch, 26 contacts	5000
AXE330124	Panasonic Connector, A4F, Socket, 0.40mm pitch, 30 contacts	5000
AXE340124	Panasonic Connector, A4F, Socket, 0.40mm pitch, 40 contacts	5000
AXE350124	Panasonic Connector, A4F, Socket, 0.40mm pitch, 50 contacts	5000
AXE360124	Panasonic Connector, A4F, Socket, 0.40mm pitch, 60 contacts	5000
AXE370124	Panasonic Connector, A4F, Socket, 0.40mm pitch, 70 contacts	5000
AXE390124	Panasonic Connector, A4F, Socket, 0.40mm pitch, 90 contacts	5000
AXE400124	Panasonic Connector, A4F, Header, 0.40mm pitch, 100 contacts	5000
AXE410124	Panasonic Connector, A4F, Header, 0.40mm pitch, 10 contacts	5000
AXE412124	Panasonic Connector, A4F, Header, 0.40mm pitch, 12 contacts	5000
AXE416124	Panasonic Connector, A4F, Header, 0.40mm pitch, 16 contacts	5000
AXE420124	Panasonic Connector, A4F, Header, 0.40mm pitch, 20 contacts	5000
AXE424124	Panasonic Connector, A4F, Header, 0.40mm pitch, 24 contacts	5000
AXE426124	Panasonic Connector, A4F, Header, 0.40mm pitch, 26 contacts	5000
AXE430124	Panasonic Connector, A4F, Header, 0.40mm pitch, 30 contacts	5000
AXE440124	Panasonic Connector, A4F, Header, 0.40mm pitch, 40 contacts	5000
AXE450124	Panasonic Connector, A4F, Header, 0.40mm pitch, 50 contacts	5000
AXE460124	Panasonic Connector, A4F, Header, 0.40mm pitch, 60 contacts	5000
AXE470124	Panasonic Connector, A4F, Header, 0.40mm pitch, 70 contacts	5000
AXE490124	Panasonic Connector, A4F, Header, 0.40mm pitch, 90 contacts	5000
AXE530164	Panasonic Connector, A4S, Socket, 0.4mm pitch, 30 contacts	5000
AXE600124	Panasonic Connector, A4S, Header, 0.40mm pitch, 100 contacts	5000
AXE600224	Panasonic Connector, A4S, Header, 0.40mm pitch, 100 contacts	5000
AXE610124	Panasonic Connector, A4S, Header, 0.40mm pitch, 10 contacts	5000
AXE610224	Panasonic Connector, A4S, Header, 0.40mm pitch, 10 contacts	5000
AXE612124	Panasonic Connector, A4S, Header, 0.40mm pitch, 12 contacts	5000
AXE612224	Panasonic Connector, A4S, Header, 0.40mm pitch, 12 contacts	5000
AXE614124	Panasonic Connector, A4S, Header, 0.40mm pitch, 14 contacts	5000
AXE614224	Panasonic Connector, A4S, Header, 0.40mm pitch, 14 contacts	5000
AXE616224	Panasonic Connector, A4S, Header, 0.40mm pitch, 16 contacts	5000
AXE618224	Panasonic Connector, A4S, Header, 0.40mm pitch, 16 contacts	5000
AXE620124	Panasonic Connector, A4S, Header, 0.40mm pitch, 20 contacts	5000
AXE620224	Panasonic Connector, A4S, Header, 0.40mm pitch, 20 contacts	5000
AXE622224	Panasonic Connector, A4S, Header, 0.40mm pitch, 22 contacts	5000
AXE624124	Panasonic Connector, A4S, header, 0.8 mm mated height, 0.4 mm pitch, slim type 2.5 mm wide	5000
AXE624224	Panasonic Connector, A4S, Header, 0.40mm pitch, 24 contacts	5000
AXE626124	Panasonic Connector, A4S, Header, 0.40mm pitch, 26 contacts	5000
AXE626224	Panasonic Connector, A4S, Header, 0.40mm pitch, 26 contacts	5000

AXE820124	Panasonic Connector, A35S, Header, 0.35mm pitch, 20 contacts	5000
AXE822124	Panasonic Connector, A35S, Header, 0.35mm pitch, 22 contacts	5000
AXE832124	Panasonic Connector, A35S, Header, 0.35mm pitch, 32 contacts	5000
AXE834124	Panasonic Connector, A35S, Header, 0.35mm pitch, 34 contacts	5000
AXE840124	Panasonic Connector, A35S, Header, 0.35mm pitch, 40 contacts	5000
AXE850124	Panasonic Connector, A35S, Header, 0.35mm pitch, 50 contacts	5000
AXE860124	Panasonic Connector, A35S, Header, 0.35mm pitch, 60 contacts	5000
AXE870124	Panasonic Connector, A35S, Header, 0.35mm pitch, 70 contacts	5000
AXE880124	Panasonic Connector, A35S, Header, 0.35mm pitch, 80 contacts	5000
AXE890124	Panasonic Connector, A35S, Header, 0.35mm pitch, 90 contacts	5000
AXE8A2124	Panasonic Connector, A35S, Header, 0.35mm pitch, 120 contacts	5000
AXJ436540	Panasonic Connector, Honda, mini I/O 11 pin, receptacle, mini AB, front DIP, back SMD	5000
AXJ443000-	Panasonic Connector, Honda,, mini I/O 11 pin, plug, mini AB, cable connection type	2000
AXK500137	Panasonic Connector, P5K, Socket, 0.50mm pitch, 100 contacts	1500
AXK500147	Panasonic Connector, P5K, Socket, 0.50mm pitch, 100 contacts	1500
AXK500147	Panasonic Connector, P5K, Socket, 0.50mm pitch, 100 contacts	1500
AXK520147	Panasonic Connector, P5K, Socket, 0.50mm pitch, 20 contacts	1500
AXK522137	Panasonic Connector, P5K, Socket, 0.50mm pitch, 22 contacts	1500
AXK530137	Panasonic Connector, P5K, Socket, 0.50mm pitch, 30 contacts	1500
AXK530147	Panasonic Connector, P5K, Socket, 0.50mm pitch, 30 contacts	1500
AXK540137	Panasonic Connector, P5K, Socket, 0.50mm pitch, 40 contacts	1500
AXK540147	Panasonic Connector, P5K, Socket, 0.50mm pitch, 40 contacts	1500
AXK550137	Panasonic Connector, P5K, Socket, 0.50mm pitch, 50 contacts	1500
AXK550147	Panasonic Connector, P5K, Socket, 0.50mm pitch, 50 contacts	1500
AXK560147	Panasonic Connector, P5K, Socket, 0.50mm pitch, 60 contacts	1500
AXK570137	Panasonic Connector, P5K, Socket, 0.50mm pitch, 70 contacts	1500
AXK570147	Panasonic Connector, P5K, Socket, 0.50mm pitch, 70 contacts	1500
AXK580147	Panasonic Connector, P5K, Socket, 0.50mm pitch, 80 contacts	1500
AXK5950702	Panasonic Connector, P5K, Socket, 0.50mm pitch, 95 contacts	1000
AXK5A2137	Panasonic Connector, P5K, Socket, 0.50mm pitch, 120 contacts	1500
AXK5A2147	Panasonic Connector, P5K, Socket, 0.50mm pitch, 120 contacts	1500
AXK5F0054	Panasonic Connector, P5KF, Socket, 0.50mm pitch, 100 contacts	2000
AXK5F1034	Panasonic Connector, P5KF, Socket, 0.50mm pitch, 10 contacts	2000
AXK5F1234	Panasonic Connector, P5KF, Socket, 0.50mm pitch, 12 contacts	2000
AXK5F1653	Panasonic Connector, P5KF, Socket, 0.50mm pitch, 16 contacts	2000
AXK5F1654	Panasonic Connector, P5KF, Socket, 0.50mm pitch, 16 contacts	2000
AXK5F2054	Panasonic Connector, P5KF, Socket, 0.50mm pitch, 20 contacts	2000
AXK5F2254	Panasonic Connector, P5KF, Socket, 0.50mm pitch, 22 contacts	2000
AXK5F2454	Panasonic Connector, P5KF, Socket, 0.50mm pitch, 24 contacts	2000
AXK5F2654	Panasonic Connector, P5KF, Socket, 0.50mm pitch, 26 contacts	2000
AXK5F3054	Panasonic Connector, P5KF, Socket, 0.50mm pitch, 30 contacts	2000
AXK5F3454	Panasonic Connector, P5KF, Socket, 0.50mm pitch, 34 contacts	2000
AXK5F4054	Panasonic Connector, P5KF, Socket, 0.50mm pitch, 40 contacts	2000
AXK5F5033	Panasonic Connector, P5KF, Socket, 0.50mm pitch, 50 contacts	2000
AXK5F5054	Panasonic Connector, P5KF, Socket, 0.50mm pitch, 50 contacts	2000
AXK5F6034	Panasonic Connector, P5KF, Socket, 0.50mm pitch, 60 contacts	2000
AXK5F6053	Panasonic Connector, P5KF, Socket, 0.50mm pitch, 60 contacts	2000
AXK5F6054	Panasonic Connector, P5KF, Socket, 0.50mm pitch, 60 contacts	2000
AXK5F7054	Panasonic Connector, P5KF, Socket, 0.50mm pitch, 70 contacts	2000
AXK5FE403	Panasonic Connector, P5KF, Socket for inspection usage, 0.50mm pitch, 40 contacts	50
AXK5S0003	Panasonic Connector, P5KS, Socket, 0.50mm pitch, 100 contacts	1500
AXK5S0004	Panasonic Connector, P5KS, Socket, 0.50mm pitch, 100 contacts	1500
AXK5S0023	Panasonic Connector, P5KS, Socket, 0.50mm pitch, 100 contacts	1500
AXK5S0024	Panasonic Connector, P5KS, Socket, 0.50mm pitch, 100 contacts	1500
AXK5S0033	Panasonic Connector, P5KS, Socket, 0.50mm pitch, 100 contacts	1000
AXK5S0034	Panasonic Connector, P5KS, Socket, 0.50mm pitch, 100 contacts	1000
AXK5S2003	Panasonic Connector, P5KS, Socket, 0.50mm pitch, 20 contacts	1500
AXK5S2004	Panasonic Connector, P5KS, Socket, 0.50mm pitch, 20 contacts	1500
AXK5S2024	Panasonic Connector, P5KS, Socket, 0.50mm pitch, 20 contacts	1500
AXK5S2033	Panasonic Connector, P5KS, Socket, 0.50mm pitch, 20 contacts	1000
AXK5S2034	Panasonic Connector, P5KS, Socket, 0.50mm pitch, 20 contacts	1000
AXK5S2404	Panasonic Connector, P5KS, Socket, 0.50mm pitch, 24 contacts	1500
AXK5S2424	Panasonic Connector, P5KS, Socket, 0.50mm pitch, 24 contacts	1500
AXK5S3003	Panasonic Connector, P5KS, Socket, 0.50mm pitch, 30 contacts	1500
AXK5S3004	Panasonic Connector, P5KS, Socket, 0.50mm pitch, 30 contacts	1500

AXK720317	Panasonic Connector, P4, Socket, 0.40mm pitch, 20 contacts	3000
AXK720327	Panasonic Connector, P4, Socket, 0.40mm pitch, 20 contacts	3000
AXK720347	Panasonic Connector, P4, Socket, 0.40mm pitch, 20 contacts	3000
AXK722147	Panasonic Connector, P4, Socket, 0.40mm pitch, 22 contacts	3000
AXK724147	Panasonic Connector, P4, Socket, 0.40mm pitch, 24 contacts	3000
AXK726147	Panasonic Connector, P4, Socket, 0.40mm pitch, 26 contacts	3000
AXK726247	Panasonic Connector, P4, Socket, 0.40mm pitch, 26 contacts	3000
AXK730247	Panasonic Connector, P4, Socket, 0.40mm pitch, 30 contacts	3000
AXK730347	Panasonic Connector, P4, Socket, 0.40mm pitch, 30 contacts	3000
AXK730447	Panasonic Connector, P4, Socket, 0.40mm pitch, 30 contacts	2000
AXK734127	Panasonic Connector; Series P4; Socket; 0.40mm pitch; 34 contacts; with soldering terminals; without positioning bosses	3000
AXK734227	Panasonic Connector; P4 series; socket; 0.4mm pitch, 34 contacts; with soldering terminal; Narrow Pitch Connectors	3000
AXK734527	Panasonic Connector, P4, Socket, 0.40mm pitch, 34 contacts, with soldering terminal, without positioning bosses	2000
AXK740147	Panasonic Connector, P4, Socket, 0.40mm pitch, 40 contacts	3000
AXK740247	Panasonic Connector, P4, Socket, 0.40mm pitch, 40 contacts	3000
AXK740317	Panasonic Connector, P4, Socket, 0.40mm pitch, 40 contacts	3000
AXK740327	Panasonic Connector, P4, Socket, 0.40mm pitch, 40 contacts	3000
AXK740347	Panasonic Connector, P4, Socket, 0.40mm pitch, 40 contacts	3000
AXK740447	Panasonic Connector, P4, Socket, 0.40mm pitch, 40 contacts	2000
AXK750147	Panasonic Connector, P4, Socket, 0.40mm pitch, 50 contacts	3000
AXK750347	Panasonic Connector, P4, Socket 0.40mm pitch, 50 contacts	3000
AXK760147	Panasonic Connector, P4, Socket, 0.40mm pitch, 60 contacts	3000
AXK764147	Panasonic Connector, P4 series, Socket, 0.40mm pitch, 64 contacts, without positioning bosses	3000
AXK770147	Panasonic Connector, P4, Socket, 0.40mm pitch, 70 contacts	3000
AXK770247	Panasonic Connector, P4, Socket, 0.40mm pitch, 70 contacts	3000
AXK770347	Panasonic Connector, P4, Socket, 0.40mm pitch, 70 contacts	3000
AXK770427	Panasonic Connector, P4, Socket, 0.40mm pitch, 70 contacts	2000
AXK780137	Panasonic Connector, P4, Socket, 0.40mm pitch, 80 contacts	3000
AXK780147	Panasonic Connector, P4, Socket, 0.40mm pitch, 80 contacts	3000
AXK780247	Panasonic Connector, P4, Socket, 0.40mm pitch, 80 contacts	3000
AXK780327	Panasonic Connector, P4, Socket, 0.40mm pitch, 80 contacts	3000
AXK7950700	Panasonic Connector, P4, Socket, 0.40mm pitch, 95 contacts	3000
AXK7E1026	Panasonic Connector, P4, Socket for inspection usage, 0.40mm pitch, 10 contacts, with soldering terminals, without positioning b	50
AXK7E2046	Panasonic Connector, P4, Socket for inspection usage, 0.40mm pitch, 20 contacts	50
AXK7E4026	Panasonic Connector; P4; Socket for inspection usage only; 0.40mm pitch; 40 contacts; with soldering terminals; without positioni	50
AXK7E4046	Panasonic Connector, P4, Socket for inspection usage, 0.40mm pitch, 40 contacts	50
AXK7E6046	Panasonic Connector, P4, Socket for inspection usage, 0.40mm pitch, 60 contacts	50
AXK7E6446	Panasonic Connector, P4, Socket for inspection usage, 0.40mm pitch, 64 contacts	50
AXK7L10223	Panasonic Connector, F4, Socket, 0.40mm pitch, 10 contacts	3000
AXK7L20223	Panasonic Connector, F4, Socket, 0.40mm pitch, 20 contacts	3000
AXK7L22223	Panasonic Connector, F4, Socket, 0.40mm pitch, 22 contacts	3000
AXK7L24223	Panasonic Connector, F4, Socket, 0.40mm pitch, 24 contacts	3000
AXK7L26223	Panasonic Connector, F4, Socket, 0.40mm pitch, 26 contacts	3000
AXK7L30223	Panasonic Connector, F4, Socket, 0.40mm pitch, 30 contacts	3000
AXK7L34223	Panasonic Connector, F4, Socket, 0.40mm pitch, 34 contacts	3000
AXK7L40223	Panasonic Connector, F4, Socket, 0.40mm pitch, 40 contacts	3000
AXK7L50223	Panasonic Connector, F4, Socket, 0.40mm pitch, 50 contacts	3000
AXK7L54223	Panasonic Connector, F4, Socket, 0.40mm pitch, 54 contacts	3000
AXK7L60223	Panasonic Connector, F4, Socket, 0.40mm pitch, 60 contacts	3000
AXK7L70223	Panasonic Connector, F4, Socket, 0.40mm pitch, 70 contacts	3000
AXK7L80223	Panasonic Connector, F4, Socket, 0.40mm pitch, 80 contacts	3000
AXK800145	Panasonic Connector, P4, Header, 0.40mm pitch, 100 contacts	3000
AXK810125	Panasonic Connector, P4, Header, 0.40mm pitch, 10 contacts	3000
AXK812125	Panasonic Connector, P4, Header, 0.40mm pitch, 12 contacts	3000
AXK814145	Panasonic Connector, P4, Header, 0.40mm pitch, 14 contacts	3000
AXK820115	Panasonic Connector, P4, Header, 0.40mm pitch, 20 contacts	3000
AXK820125	Panasonic Connector, P4, Header, 0.40mm pitch, 20 contacts	3000
AXK820145	Panasonic Connector, P4, Header, 0.40mm pitch, 20 contacts	3000
AXK824145	Panasonic Connector, P4, Header, 0.40mm pitch, 24 contacts	3000
AXK826145	Panasonic Connector, P4, Header, 0.40mm pitch, 26 contacts	3000
AXK830145	Panasonic Connector, P4, Header, 0.40mm pitch, 30 contacts	3000
AXK830245	Panasonic Connector, P4, Header, 0.40mm pitch, 30 contacts	3000
AXK834125	Panasonic Connector, P4, Header, 0.40mm pitch, 34 contacts	3000
AXK840115	Panasonic Connector, P4, Header, 0.40mm pitch, 40 contacts	3000
AXK840145	Panasonic Connector, P4, Header, 0.40mm pitch, 40 contacts	3000

AXK840225	Panasonic Connector, P4, Header, 0.40mm pitch, 40 contacts	3000
AXK850145	Panasonic Connector, P4, Header, 0.40mm pitch, 50 contacts	3000
AXK850245	Panasonic Connector, P4, Header, 0.40mm pitch, 50 contacts	3000
AXK854145	Panasonic Connector, P4, Header, 0.40mm pitch, 54 contacts	3000
AXK860145	Panasonic Connector, P4, Header, 0.40mm pitch, 60 contacts	3000
AXK864145	Panasonic Connector, P4, Header, 0.40mm pitch, 64 contacts	3000
AXK870145	Panasonic Connector, P4, Header, 0.40mm pitch, 70 contacts	3000
AXK870225	Panasonic Connector, P4, Header, 0.40mm pitch, 70 contacts	3000
AXK880135	Panasonic Connector, P4, Header, 0.40mm pitch, 80 contacts	3000
AXK880145	Panasonic Connector, P4, Socket, 0.40mm pitch, 80 contacts	3000
AXK880225	Panasonic Connector, P4, Header, 0.40mm pitch, 80 contacts	3000
AXK8E1026	Panasonic Connector, P4, Header for inspection usage only, 0.40mm pitch, 10 contacts; with soldering terminal; without positionir	50
AXK8E2026	Panasonic Connector, P4, Header for inspection usage only, 0.40mm pitch, 20 contacts; with soldering terminal; without positionir	50
AXK8E2046	Panasonic Connector, P4, Header for inspection usage, 0.40mm pitch, 20 contacts	50
AXK8E2426	Panasonic Connector; P4; Header for inspection usage only; 0.4mm pitch; 24 contacts; with soldering terminal; without positioning	50
AXK8E3426	Panasonic Connector, P4, Header for inspection usage only, 0.40mm pitch, 34 contacts; with soldering terminal; without positionir	50
AXK8E6046	Panasonic Connector, P4, Header for inspection usage only, 0.40mm pitch, 60 contacts; without soldering terminal; without positio	50
AXK8L10124	Panasonic Connector, F4, Header, 0.40mm pitch, 10 contacts	3000
AXK8L20124	Panasonic Connector, F4, Header, 0.40mm pitch, 20 contacts	3000
AXK8L22124	Panasonic Connector, F4, Header, 0.40mm pitch, 22 contacts	3000
AXK8L24124	Panasonic Connector, F4, Header, 0.40mm pitch, 24 contacts	3000
AXK8L26124	Panasonic Connector, F4, Header, 0.40mm pitch, 26 contacts	3000
AXK8L30124	Panasonic Connector, F4, Header, 0.40mm pitch, 30 contacts	3000
AXK8L40124	Panasonic Connector, F4, Header, 0.40mm pitch, 40 contacts	3000
AXK8L50124	Panasonic Connector, F4, Header, 0.40mm pitch, 50 contacts	3000
AXK8L54124	Panasonic Connector, F4, Header, 0.40mm pitch, 54 contacts	3000
AXK8L60124	Panasonic Connector, F4, Header, 0.40mm pitch, 60 contacts	3000
AXK8L70124	Panasonic Connector, F4, Header, 0.40mm pitch, 70 contacts	3000
AXK8L80124	Panasonic Connector, F4, Header, 0.40mm pitch, 80 contacts	3000
AXN100011	Panasonic Connector, P8, Socket/Header, 0.80mm pitch, 100 contacts	12
AXN100C01	Panasonic Connector, P8, Socket/Header, 0.80mm pitch, 100 contacts	12
AXN130011	Panasonic Connector, P8, Socket/Header, 0.80mm pitch, 30 contacts	30
AXN130C01	Panasonic Connector, P8, Socket/Header, 0.80mm pitch, 30 contacts	350
AXN140011	Panasonic Connector, P8, Socket/Header, 0.80mm pitch, 40 contacts	1000
AXN140011	Panasonic Connector, P8, Socket/Header, 0.80mm pitch, 40 contacts	25
AXN150011	Panasonic Connector, P8, Socket/Header, 0.80mm pitch, 50 contacts	25
AXN180011	Panasonic Connector, P8, Socket/Header, 0.80mm pitch, 80 contacts	12
AXN300038	Panasonic Connector, P8, Socket, 0.80mm pitch, 100 contacts	12
AXN300130	Panasonic Connector, P8, Socket, 0.80mm pitch, 100 contacts	12
AXN300C03	Panasonic Connector, P8, Socket, 0.80mm pitch, 100 contacts	1000
AXN300C13	Panasonic Connector, P8, Socket, 0.80mm pitch, 100 contacts	12
AXN312038	Panasonic Connector, P8, Socket, 0.80mm pitch, 12 contacts	1000
AXN312038	Panasonic Connector, P8, Socket, 0.80mm pitch, 12 contacts	50
AXN312238	Panasonic Connector, P8, Socket, 0.80mm pitch, 12 contacts	1000
AXN312238	Panasonic Connector, P8, Socket, 0.80mm pitch, 12 contacts	50
AXN312C03	Panasonic Connector, P8, Socket, 0.80mm pitch, 12 contacts	1000
AXN312C03	Panasonic Connector, P8, Socket, 0.80mm pitch, 12 contacts	50
AXN312C23	Panasonic Connector, P8, Socket, 0.80mm pitch, 12 contacts	1000
AXN312C23	Panasonic Connector, P8, Socket, 0.80mm pitch, 12 contacts	50
AXN314038	Panasonic Connector, P8, Socket, 0.80mm pitch, 14 contacts	50
AXN314C03	Panasonic Connector, P8, Socket, 0.80mm pitch, 14 contacts	50
AXN316038	Panasonic Connector, P8, Socket, 0.80mm pitch, 16 contacts	1000
AXN316038	Panasonic Connector, P8, Socket, 0.80mm pitch, 16 contacts	50
AXN316238	Panasonic Connector, P8, Socket, 0.80mm pitch, 16 contacts	50
AXN316C03	Panasonic Connector, P8, Socket, 0.80mm pitch, 16 contacts	1000
AXN316C03	Panasonic Connector, P8, Socket, 0.80mm pitch, 16 contacts	50
AXN316C23	Panasonic Connector, P8, Socket, 0.80mm pitch, 16 contacts	1000
AXN316C23	Panasonic Connector, P8, Socket, 0.80mm pitch, 16 contacts	50
AXN320038	Panasonic Connector, P8, Socket, 0.80mm pitch, 20 contacts	1000
AXN320038	Panasonic Connector, P8, Socket, 0.80mm pitch, 20 contacts	50
AXN320130	Panasonic Connector, P8, Socket, 0.80mm pitch, 20 contacts	1000
AXN320130	Panasonic Connector, P8, Socket, 0.80mm pitch, 20 contacts	50
AXN320C03	Panasonic Connector, P8, Socket, 0.80mm pitch, 20 contacts	1000
AXN320C03	Panasonic Connector, P8, Socket, 0.80mm pitch, 20 contacts	50
AXN320C13	Panasonic Connector, P8, Socket, 0.80mm pitch, 20 contacts	1000

AXT526124	Panasonic Connector, F4S, Socket, 0.40mm pitch, 26 contacts	3000
AXT528124	Panasonic Connector, F4S, Socket, 0.40mm pitch, 28 contacts	3000
AXT530124	Panasonic Connector, F4S, Socket, 0.4mm pitch, 30 contacts	3000
AXT530214	Panasonic Connector, F4S, Socket, 0.40mm pitch, 30 contacts	3000
AXT530224	Panasonic Connector, F4S, Socket, 0.40mm pitch, 30 contacts	3000
AXT532124	Panasonic Connector, Series F4s, Socket, 0.40mm pitch, 32 contacts, without positioning bosses	3000
AXT534124	Panasonic Connector F4S, Socket, 0.4 mm, pitch, 34 contacts	3000
AXT540124	Panasonic Connector, F4S, Socket, 0.40mm pitch, 40 contacts	3000
AXT540214	Panasonic Connector, F4S, Socket, 0.40mm pitch, 40 contacts	3000
AXT540224	Panasonic Connector, F4S, Socket, 0.40mm pitch, 40 contacts	3000
AXT550124	Panasonic Connector, Series F4s, Socket, 0.40mm pitch, 50 contacts, without positioning bosses	3000
AXT550214	Panasonic Connector, F4S, Socket, 0.40mm pitch, 50 contacts	3000
AXT550224	Panasonic Connector, F4S, Socket, 0.40mm pitch, 50 contacts	3000
AXT5850124	Panasonic Connector, Series F4s, Socket, 0.40mm pitch, 80 contacts, without positioning bosses	3000
AXT580214	Panasonic Connector, F4S, Socket, 0.40mm pitch, 80 contacts	3000
AXT580224	Panasonic Connector, F4S, Socket, 0.40mm pitch, 80 contacts	3000
AXT5E1026	Panasonic Connector, F4S, Socket for inspection usage, 0.40mm pitch, 10 contacts, without positioning bosses	3000
AXT610124	Panasonic Connector, F4S, Header, 0.40mm pitch, 10 contacts	3000
AXT612124	Panasonic Connector, F4S, Header, 0.40mm pitch, 12 contacts	3000
AXT616124	Panasonic Connector, F4S, Header 0.40mm pitch, 16 contacts	3000
AXT620124	Panasonic Connector, F4S, Header, 0.40mm pitch, 20 contacts	3000
AXT624124	Panasonic Connector, F4S, Header, 0.40mm pitch, 24 contacts	3000
AXT626124	Panasonic Connector, F4S, Header, 0.40mm pitch, 26 contacts	3000
AXT628124	Panasonic Connector, F4S, Header, 0.40mm pitch, 28 contacts	3000
AXT630124	Panasonic Connector, F4S, Header, 0.4mm pitch, 30 contacts	3000
AXT630214	Panasonic Connector, F4S, Header, 0.40mm pitch, 30 contacts	3000
AXT630224	Panasonic Connector, F4S, Header, 0.40mm pitch, 30 contacts	3000
AXT632124	Panasonic Connector, Series F4s, Header, 0.40mm pitch, 32 contacts, without positioning bosses	3000
AXT634124	Panasonic Connector F4S, Header, 0.4 mm, pitch, 34 contacts	3000
AXT636124	Panasonic Connector, Series F4s, Header, 0.4 mm, pitch, 36 contacts, without positioning bosses	3000
AXT640124	Panasonic Connector, F4S, Header, 0.40mm pitch, 40 contacts	3000
AXT640214	Panasonic Connector, F4S, Header, 0.40mm pitch, 40 contacts	3000
AXT640224	Panasonic Connector, F4S, Header, 0.40mm pitch, 40 contacts	3000
AXT650214	Panasonic Connector, F4S, Header, 0.40mm pitch, 50 contacts	3000
AXT650224	Panasonic Connector, F4S, Header, 0.40mm pitch, 50 contacts	3000
AXT680124	Panasonic Connector, F4S, Header, 0.40mm pitch, 80 contacts	3000
AXT680214	Panasonic Connector, F4S, Header, 0.40mm pitch, 80 contacts	3000
AXT680224	Panasonic Connector, F4S, Header, 0.40mm pitch, 80 contacts	3000
AXT700124	Panasonic Connector, F35S, Socket, 0.35mm pitch, 100 contacts	3000
AXT710124	Panasonic Connector, F35S, Socket, 0.35mm pitch, 10 contacts	3000
AXT720124	Panasonic Connector, F35S, Socket, 0.35mm pitch, 20 contacts	3000
AXT730124	Panasonic Connector, F35S, Socket, 0.35mm pitch, 30 contacts	3000
AXT740124	Panasonic Connector, F35S, Socket, 0.35mm pitch, 40 contacts	3000
AXT750124	Panasonic Connector, F35S, Socket, 0.35mm pitch, 50 contacts	3000
AXT760124	Panasonic Connector, F35S, Socket, 0.35mm pitch, 60 contacts	3000
AXT770124	Panasonic Connector, F35S, Socket, 0.35mm pitch, 70 contacts	3000
AXT780124	Panasonic Connector, F35S, Socket, 0.35mm pitch, 80 contacts	3000
AXT790124	Panasonic Connector, F35S, Socket, 0.35mm pitch, 90 contacts	3000
AXT800124	Panasonic Connector, F35S, Header, 0.35mm pitch, 100 contacts	3000
AXT810124	Panasonic Connector, F35S, Header, 0.35mm pitch, 10 contacts	3000
AXT820124	Panasonic Connector, F35S, Header, 0.35mm pitch, 20 contacts	3000
AXT830124	Panasonic Connector, F35S, Header, 0.35mm pitch, 30 contacts	3000
AXT840124	Panasonic Connector, F35S, Header, 0.35mm pitch, 40 contacts	3000
AXT850124	Panasonic Connector, F35S, Header, 0.35mm pitch, 50 contacts	3000
AXT860124	Panasonic Connector, F35S, Header, 0.35mm pitch, 60 contacts	3000
AXT870124	Panasonic Connector, F35S, Header, 0.35mm pitch, 70 contacts	3000
AXT880124	Panasonic Connector, F35S, Header, 0.35mm pitch, 80 contacts	3000
AXT890124	Panasonic Connector, F35S, Header, 0.35mm pitch, 90 contacts	3000
AYF311515	Panasonic Connector, Y3FT, FPC, 0.30mm pitch, 15 contacts	5000
AYF311715	Panasonic Connector, Y3FT, FPC, 0.30mm pitch, 17 contacts	5000
AYF311915	Panasonic Connector, Y3FT, FPC, 0.30mm pitch, 19 contacts	5000
AYF312115	Panasonic Connector, Y3FT, FPC, 0.30mm pitch, 21 contacts	5000
AYF312315	Panasonic Connector, Y3FT, FPC, 0.30mm pitch, 23 contacts	5000

AYF532665	Panasonic Connector, Y5BW, FPC, 0.50mm pitch, 26 contacts, back lock type, Advanced Serie	5000
AYF532735	Panasonic Connector, Y5B, FPC, 0.50mm pitch, 27 contacts, back lock type	5000
AYF532835	Panasonic Connector, Y5B, FPC, 0.50mm pitch, 28 contacts, back lock type	5000
AYF532935	Panasonic Connector, Y5B, FPC, 0.50mm pitch, 29 contacts, back lock type	5000
AYF533035	Panasonic Connector, Y5B, FPC, 0.50mm pitch, 30 contacts, back lock type	5000
AYF533135	Panasonic Connector, Y5B, FPC, 0.50mm pitch, 31 contacts, back lock type	5000
AYF533235	Panasonic Connector, Y5B, FPC, 0.50mm pitch, 32 contacts, back lock type	5000
AYF533335	Panasonic Connector, Y5B, FPC, 0.50mm pitch, 33 contacts, back lock type	5000
AYF533435	Panasonic Connector, Y5B, FPC, 0.50mm pitch, 34 contacts, back lock type	5000
AYF533535	Panasonic Connector, Y5B, FPC, 0.50mm pitch, 35 contacts, back lock type	5000
AYF533735	Panasonic Connector, Y5B, FPC, 0.50mm pitch, 37 contacts, back lock type	5000
AYF533835	Panasonic Connector, Y5B, FPC, 0.50mm pitch, 38 contacts, back lock type	5000
AYF533935	Panasonic Connector, Y5B, FPC, 0.50mm pitch, 39 contacts, back lock type	5000
AYF534035	Panasonic Connector, Y5B, FPC, 0.50mm pitch, 40 contacts, back lock type	5000
AYF534135	Panasonic Connector, Y5B, FPC, 0.50mm pitch, 41 contacts, back lock type	5000
AYF534235	Panasonic Connector, Y5B, FPC, 0.50mm pitch, 42 contacts, back lock type	5000
AYF534335	Panasonic Connector, Y5B, FPC, 0.50mm pitch, 43 contacts, back lock type	5000
AYF534435	Panasonic Connector, Y5B, FPC, 0.50mm pitch, 44 contacts, back lock type	5000
AYF534535	Panasonic Connector, Y5B, FPC, 0.50mm pitch, 45 contacts, back lock type	5000
AYF534635	Panasonic Connector, Y5B, FPC, 0.50mm pitch, 46 contacts, back lock type	5000
AYF534735	Panasonic Connector, Y5B, FPC, 0.50mm pitch, 47 contacts, back lock type	5000
AYF534835	Panasonic Connector, Y5B, FPC, 0.50mm pitch, 48 contacts, back lock type	5000
AYF534935	Panasonic Connector, Y5B, FPC, 0.50mm pitch, 49 contacts, back lock type	5000
AYF535035	Panasonic Connector, Y5B, FPC, 0.50mm pitch, 50 contacts, back lock type	5000
AYL211100	Panasonic Connector, L2, Receptacle, 1 contact, Single wire AWG#24	12000
CCAH32ST0	Panasonic VIC 100 GPS Antenna standard performance; TNC Connector; Without Mounting Base;	1
CCAH32ST0	Panasonic VIC 100 GPS Antenna standard performance; TNC Connector; With Mounting Base;	1
CCAH32ST0	Panasonic VIC 100 GPS Antenna standard performance; N Connector; Without Mounting Base;	1
CCAH32ST0	Panasonic VIC 100 GPS Antenna standard performance; N Connector; With Mounting Base;	1
CCAH32ST1	Panasonic VIC 100 GPS Antenna with enhanced immunity to lightning surge; TNC Connector; Mounting Base B	1
CCAH32ST1	Panasonic VIC 100 GPS Antenna with enhanced immunity to lightning surge; N Connector; Without Mounting Base	1
CCAH32ST1	Panasonic VIC 100 GPS Antenna with enhanced immunity to lightning surge; N Connector; Mounting Base B	1
CCAH32ST1	Panasonic VIC 100 GPS Antenna with enhanced immunity to lightning surge; TNC Connector; Without Mounting Base	1
CCAH32ST1	Panasonic VIC 100 GPS Antenna with enhanced immunity to lightning surge; TNC Connector; Mounting Base A	50
EXP-	Panasonic Connector, Honda, Universal Host for PCI Express	1
EXP-	Panasonic Connector, Honda, Universal Host for PCI Express	1
EXP-	Panasonic Connector, Honda, Universal Host for PCI Express	1
EXP-	Panasonic Connector, Honda, Universal Host for PCI Express	1
FLA-H-	Panasonic Connector HTK, FLA, panel mounted, jack receptacle	100
FLA-H-	Panasonic Connector HTK, FLA, panel mounted, jack receptacle	100
HDR-	Panasonic Connector, Honda, Small High density Connector, 14pin, rate current 0.5A	1
HDR-	Panasonic Connector, Honda, Small High density Connector, 14pin, rate current 0.5A	1
HDR-	Panasonic Connector, Honda, Small High density Connector, 14pin, rate current 0.5A	1
HDR-	Panasonic Connector, Honda, Small High density Connector, 14pin, rate current 0.5A	1
HDR-	Panasonic Connector, Honda, Small High density Connector, 14pin, rate current 0.5A	1
HDR-	Panasonic Connector, Honda, Small High density Connector, 14pin, rate current 0.5A	1
HDR-	Panasonic Connector, Honda, Small High density Connector, 14pin, rate current 0.5A	1
HDR-	Panasonic Connector, Honda, Small High density Connector, 14pin, rate current 0.5A	1
HDR-	Panasonic Connector, Honda, Small High density Connector, 14pin, rate current 0.5A	1
HDR-	Panasonic Connector, Honda, Small High density Connector, 26pin, rate current 0.5A	1
HDR-	Panasonic Connector HTK, HDR, plastic housing, vertical type, spring lock	100
HDR-	Panasonic Connector, Honda, Small High density Connector, 26pin, rate current 0.5A	1
HDR-	Panasonic Connector, Honda, Small High density Connector, 26pin, rate current 0.5A	1
HDR-	Panasonic Connector HTK, HDR, plastic housing, vertical type, spring lock	100
HDR-	Panasonic Connector HTK, HDR, male, IDC type, 0.8mm pitch, 26pin	56
HDR-	Panasonic Connector, Honda, Small High density Connector, 26pin, rate current 0.5A	1
HDR-	Panasonic Connector, Honda, Small High density Connector, 26pin, rate current 0.5A	1
HDR-	Panasonic Connector HTK, HDR, male, soldering type, 0.8mm pitch, 26pin	56
HDR-	Panasonic Connector, Honda, Small High density Connector, 50pin, rate current 0.5A	1
HDR-	Panasonic Connector, Honda, Small High density Connector, 50pin, rate current 0.5A	1
HDR-	Panasonic Connector, Honda, Small High density Connector, 50pin, rate current 0.5A	1
HDR-	Panasonic Connector, Honda, Small High density Connector, 50pin, rate current 0.5A	1
HDR-E50M-	Panasonic Connector, Honda, Small High density Connector, 50pin, rate current 0.5A	1

HDRA-	Panasonic Connector, Honda, High density Interface Connector, 68pin, rate current 0.3A	1
HDRA-	Panasonic Connector, Honda, High density Interface Connector, 68pin, rate current 0.3A	1
ICMD-	Panasonic Connector HTK, ICMD, CF card slot TYPE I/II, right side ejector, SMT, 0.635mm pitch, 50pin	90
LVC-20P-1	Panasonic Connector, Honda, Connector for super thin coaxial cables, rate current 0.3A	1
LVC-20P1-1	Panasonic Connector, Honda, Connector for super thin coaxial cables, rate current 0.3A	1
LVC-30P1	Panasonic Connector, Honda, Connector for super thin coaxial cables, rate current 0.3A	1
LVC-	Panasonic Connector, Honda, Connector for super thin coaxial cables, rate current 0.3A	1500
LVC-	Panasonic Connector, Honda, Connector for super thin coaxial cables, rate current 0.3A	1500
LVC-	Panasonic Connector, Honda, Connector for super thin coaxial cables, rate current 0.3A	1
LVC-	Panasonic Connector, Honda, Connector for super thin coaxial cables, rate current 0.3A	1
LVC-	Panasonic Connector, Honda, Connector for super thin coaxial cables, rate current 0.3A	2500
LVC-	Panasonic Connector, Honda, Connector for super thin coaxial cables, rate current 0.3A	1
LVX-	Panasonic Connector, Honda, ultra low coaxial connector, 4.0mm pitch, rate current 0.2A	1
LVX-	Panasonic Connector, Honda, ultra low coaxial connector, 4.0mm pitch, rate current 0.2A	4000
LVX-	Panasonic Connector, Honda, ultra low coaxial connector, 4.0mm pitch, rate current 0.2A	2000
LVX-	Panasonic Connector, Honda, ultra low coaxial connector, 4.0mm pitch, rate current 0.2A	1
LVX-	Panasonic Connector, Honda, ultra low coaxial connector, 4.0mm pitch, rate current 0.2A	4000
MR-50LW+	Panasonic Connector HTK, MR, Dual purpose vertical and horizontal type plastic case	100
MR-50M	Panasonic Connector HTK, MR, male, straight soldering type for panel, 50pi	50
PCR-	Panasonic Connector HTK, PCR, male, right angle THT, 1.27 mm pitch, 96pin	30
PCR-	Panasonic Connector HTK, PCR, male, straight THT, 1.27 mm pitch, 96pin	30
PCS-	Panasonic Connector HTK, PCS, female, right angle THT, 1.27 mm pitch, 100pin	20
QZAE-	Panasonic Connector, Honda, Car Electronics, high speed serial connector, 2 contacts	2500
QZF-	Panasonic Connector, Honda, QZF, Micro USB, B type with bosses	700
TAK-	Panasonic Connector Honda, TAK4, Right angle DIP type receptacle connector for PCBs, with screw	1
TAK-	Panasonic Connector Honda, TAK4, Right angle DIP type receptacle connector for PCBs, without screw	1
TAK-	Panasonic Connector Honda, TAK4, Straight crimping type plug connector for cables, A type, applied cable 4.5mm	1
TAK-	Panasonic Connector Honda, TAK6, Right angle DIP type receptacle connector for PCBs, A type, without screw, Two DIPs exist	1
TAK-	Panasonic Connector Honda, TAK6, Straight crimping type plug connector for cables, A type, applied cable 3.5mm	1