

Panasonic switches

[illegible]

ABJ261L71	Panasonic Ultraminiature Switch; IP 67; 2.3mm mounting hole; Wire leads (bottom type); SPDT; Long stroke type; 2.45N; Gold clad	100
ABJ262460	Panasonic Ultraminiature Switch; IP 67; 2.3mm mounting hole; Wire leads; SPDT NC; Simulated roller lever; 1.96N; AgNi alloy	50
ABJ262L71	Panasonic Ultraminiature Switch; IP 67; 2.3mm mounting hole; Wire leads (bottom type); SPST NC; Long stroke type; 2.45N; Gold clad	50
ABJ263241	Panasonic Ultraminiature Switch; IP 67; 2.3mm mounting hole; Wire leads (bottom type); SPST NO; Hinge lever; 1.23N; AgNi alloy + Au clad	50
ABJ263261	Panasonic Ultraminiature Switch; IP 67; 2.3mm mounting hole; Wire leads (bottom type); SPST NO; Hinge lever; 1.96N; Cold clad	50
ABJ263440	Panasonic Ultraminiature Switch; IP 67; 2.3 mm mounting hole; Wire leads (bottom type); SPST NO; Simulated roller lever; 1.23 N; AgNi alloy	50
ABJ361840	Panasonic Ultraminiature Switch; IP 67; 3mm mounting hole; Wire leads (bottom type); SPDT; Leaf lever; 1.23N; Silver alloy	50
ABJ361841	Panasonic Ultraminiature Switch; IP 67; 3mm mounting hole; Wire leads (bottom type); SPDT; Leaf lever; 1.23N; Gold clad	50
ABJ363840	Panasonic Ultraminiature Switch; IP 67; 3mm mounting hole; Wire leads (bottom type); SPST NO; Leaf lever; 1.23N; AgNi alloy	50
ABJ363841	Panasonic Ultraminiature Switch; IP 67; 3mm mounting hole; Wire leads (bottom type); SPST NO; Leaf lever; 1.23N; AgNi alloy+Au clad	50
ABJ572840	Panasonic Ultraminiature Switch; IP 67; Fixed pin (left side pin) type; Wire leads (right side type); SPST NC; Leaf lever; 1.23N; Silver alloy	100
ABJ572841	Panasonic Ultraminiature Switch; IP 67; Fixed pin (left side pin) type; Wire leads (right side type); SPST NC; Leaf lever; 1.23N; Gold clad	50
ABJ572861	Panasonic Ultraminiature Switch; IP 67; Fixed pin (left side pin) type; Wire leads (right side type); SPST NC; Leaf lever; 1.96N; Gold clad	100
ABS111040	Panasonic Subminiature Switch; IP 67; Straight type; 110 quick connect; SPDT; Pin plunger; 0,98N; Silver alloy	100
ABS1110503	Panasonic Subminiature Switch; IP 67; Straight type; 110 quick connect terminal; SPDT; Pin plunger; 1,47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
ABS111050	Panasonic Subminiature Switch; IP 67; Straight type; 110 quick connect; SPDT; Pin plunger; 1,47N; Silver alloy	100
ABS1110513	Panasonic Subminiature Switch; IP 67; Straight type; 110 quick connect; SPDT; Pin plunger; 1,47N; Au clad triple layer; UL/CSA/VDE/SEMKO	100
ABS1110519	Panasonic Subminiature Switch; IP 67; Straight type; 110 quick connect; SPDT; Pin plunger; 1,47N; Au clad triple layer; UL/CSA	100
ABS111051	Panasonic Subminiature Switch; IP 67; Straight type; 110 quick connect; SPDT; Pin plunger; 1,47N; Au clad triple layer	100
ABS111140	Panasonic Subminiature Switch; IP 67; Straight type; 110 quick connect; SPDT; Short hinge lever; 0,98N; Silver alloy	100
ABS111151	Panasonic Subminiature Switch; IP 67; Straight type; 110 quick connect; SPDT; Short hinge lever; 1,47N; Au clad triple layer	100
ABS111240	Panasonic Subminiature Switch; IP 67; Straight type; 110 quick connect; SPDT; Hinge lever; 0,98N; Silver alloy	100
ABS111241	Panasonic Subminiature Switch; IP 67; Straight type; 110 quick connect; SPDT; Hinge lever; 0,98N; Au clad triple layer	100
ABS1112503	Panasonic Subminiature Switch; IP 67; Straight type; 110 quick connect; SPDT; Pin plunger; 0,98N; Silver alloy	100
ABS111250	Panasonic Subminiature Switch; IP 67; Straight type; 110 quick connect; SPDT; Hinge lever; 1,47N; Silver alloy	100
ABS111350	Panasonic Subminiature Switch; IP 67; Straight type; 110 quick connect; SPDT; Long hinge lever; 1,47N; Silver alloy	100
ABS111351	Panasonic Subminiature Switch; IP 67; Straight type; 110 quick connect; SPDT; Long hinge lever; 1,47N; Au clad triple layer	100
ABS111441	Panasonic Subminiature Switch; IP 67; Straight type; 110 quick connect; SPDT; Simulated roller lever; 0,98N; Au clad triple layer	50
ABS1114503	Panasonic Subminiature Switch; IP 67; Straight type; 110 quick connect; SPDT; Simulated roller lever; 1,47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
ABS1114513	Panasonic Subminiature Switch; IP 67; Straight type; 110 quick connect; SPDT; Simulated roller lever; 1,47N; Au Clad triple layer; UL/CSA/VDE/SEMKO	100
ABS1116403	Panasonic Subminiature Switch; IP 67; Straight type; 110 quick connect; SPDT; Roller lever; 0,98N; AgNo alloy; UL/CSA/VDE/SEMKO	100
ABS111640	Panasonic Subminiature Switch; IP 67; Straight type; 110 quick connect; SPDT; Roller lever; 0,98N; Silver alloy	100
ABS1116413	Panasonic Subminiature Switch; IP 67; Straight type; 110 quick connect; SPDT; Pin plunger; 0,98N; Silver alloy	100
ABS111641	Panasonic Subminiature Switch; IP 67; Straight type; 110 quick connect; SPDT; Roller lever; 0,98N; Au clad triple layer	100
ABS1116503	Panasonic Subminiature Switch; IP 67; Straight type; 110 quick connect; SPDT; Roller lever; 1,47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
ABS111650	Panasonic Subminiature Switch; IP 67; Straight type; 110 quick connect; SPDT; Roller lever; 1,47N; Silver alloy	100
ABS1116513	Panasonic Subminiature Switch; IP 67; Straight type; 110 quick connect; SPDT; Roller lever; 1,47N; Au clad triple layer; UL/CSA/VDE/SEMKO	100
ABS1116518	Panasonic Subminiature Switch; IP 67; Straight type; 110 quick connect; SPDT; Roller lever; 1,47N; Au clad triple layer; VDE/SEMKO	100
ABS111651	Panasonic Subminiature Switch; IP 67; Straight type; 110 quick connect; SPDT; Roller lever; 1,47N; Au clad triple layer	100
ABS1410403	Panasonic Subminiature Switch; IP 67; Straight type; Solder terminal; SPDT; Pin plunger; 0,98N; Silver alloy	100
ABS141040	Panasonic Subminiature Switch; IP 67; Straight type; Solder terminal; SPDT; Pin plunger; 0,98N; Silver alloy;	100
ABS141041	Panasonic Subminiature Switch; IP 67; Straight type; Solder terminal; SPDT; Pin plunger; 0,98N; Au clad triple layer	100
ABS1410503	Panasonic Subminiature Switch; IP 67; Straight type; Solder terminal; SPDT; Pin plunger; 1,47N; Silver alloy; UL/CSA/VDE/SEMKO	100
ABS141050	Panasonic Subminiature Switch; IP 67; Straight type; Solder terminal; SPDT; Pin plunger; 1,47N; Silver alloy;	100
ABS141051	Panasonic Subminiature Switch; IP 67; Straight type; Solder terminal; SPDT; Pin plunger; 1,47N; Au clad triple layer	100
ABS141140	Panasonic Subminiature Switch; IP 67; Straight type; 110 quick connect; SPDT; Pin plunger; 0,98N; Silver alloy	100
ABS1411503	Panasonic Subminiature Switch; IP 67; Straight type; Solder terminal; SPDT; Short hinge lever; 1,47N; Silver alloy; UL/CSA/VDE/SEMKO	100
ABS141150	Panasonic Subminiature Switch; IP 67; Straight type; Solder terminal; SPDT; Short hinge lever; 1,47N; Silver alloy	100
ABS141151	Panasonic Subminiature Switch; IP 67; Straight type; Solder terminal; SPDT; Short hinge lever; 1,47N; Au clad triple layer;	100
ABS1412403	Panasonic Subminiature Switch; IP 67; Straight type; Solder terminal; SPDT; Hinge lever; 0,98N; Silver alloy; UL/CSA/VDE/SEMKO	100
ABS1412409	Panasonic Subminiature Switch; IP 67; Straight type; Solder terminal; SPDT; Hinge lever; 0,98N; Silver alloy; UL/CSA	100
ABS141240	Panasonic Subminiature Switch; IP 67; Straight type; Solder terminal; SPDT; Hinge lever; 0,98N; Silver alloy;	100
ABS141241	Panasonic Subminiature Switch; IP 67; Straight type; Solder terminal; SPDT; Hinge lever; 0,98N; Au clad triple layer	100
ABS141251	Panasonic Subminiature Switch; IP 67; Straight type; Solder terminal; SPDT; Hinge lever; 1,47N; Au clad triple layer	100
ABS141340	Panasonic Subminiature Switch; IP 67; Straight type; Solder terminal; SPDT; Long hinge lever; 0,98N; Silver alloy	100
ABS1413413	Panasonic Subminiature Switch; IP 67; Straight type; Solder terminal; SPDT; Long hinge lever; 0,98N; Au clad triple layer; UL/CSA/VDE/SEMKO	100
ABS141341	Panasonic Subminiature Switch; IP 67; Straight type; Solder terminal; SPDT; Long hinge lever; 0,98N; Au clad triple layer	100
ABS1413449	Panasonic Subminiature switch (S type); IP67; Straight solder Terminal; SPDT; Long hinge lever; 0.98N; Au clad double layer; UL / CSA	50
ABS141350	Panasonic Subminiature Switch; IP 67; Straight type; Solder terminal; SPDT; Long hinge lever; 1,47N; Silver alloy	100
ABS1414403	Panasonic Subminiature Switch; IP 67; Straight type; Solder terminal; SPDT; Simulated roller lever; 0.98N; UL/CSA/VDE/SEMKO	100
ABS141441	Panasonic Subminiature Switch; IP 67; Straight type; Solder terminal; SPDT; Simulated roller lever; 0,98N; Au clad triple layer	50
ABS1414503	Panasonic Subminiature Switch; IP 67; Straight type; Solder terminal; SPDT; Simulated roller lever; 1,47N; Silver alloy; UL/CSA/VDE/SEMKO	100
ABS1414509	Panasonic Subminiature Switch; IP 67; Straight type; Solder terminal; SPDT; Simulated roller lever; 1,47N; Silver alloy; UL/CSA	100
ABS141450	Panasonic Subminiature Switch; IP 67; Straight type; Solder terminal; SPDT; Simulated roller lever; 1,47N; Silver alloy	100
ABS141451	Panasonic Subminiature Switch; IP 67; Straight type; Solder terminal; SPDT; Simulated roller lever; 1,47N; Au clad triple layer	100
ABS1416403	Panasonic Subminiature Switch; IP 67; Straight type; Solder terminal; SPDT; Roller lever; OF=0,98N; Ag Ni alloy contact; UL/c UL;VDE;ENEC	100
ABS141641	Panasonic Subminiature Switch; IP 67; Straight type; Solder terminal; SPDT; Roller lever; 0,98N; Au clad triple layer	100
ABS1416449	Panasonic Subminiature Switch; IP 67; Straight type; Solder terminal; SPDT; Roller lever; 0,98N; Au clad double layer; UL/CSA	100
ABS141644	Panasonic Subminiature Switch; IP 67; Straight type; Solder terminal; SPDT; Roller lever; 0,98N; Au clad double layer	100
ABS1416509	Panasonic Subminiature Switch; IP 67; Straight type; Solder terminal; SPDT; Roller lever; 1,47N; Silver alloy; UL/CSA	100
ABS141651	Panasonic Subminiature Switch; IP 67; Straight type; Solder terminal; SPDT; Roller lever; 1,47N; Au clad triple layer	100
ABS1510403	Panasonic Subminiature Switch; IP 67; Straight type; PC board terminal; SPDT; Pin plunger; 0,98N; AgNi alloy; UL/CSA/VDE/SEMKO	100
ABS151040	Panasonic Subminiature Switch; IP 67; Straight type; PC board terminal; SPDT; Pin plunger; 0,98N; Silver alloy	100

[illegible]

ABS451150	Panasonic Subminiature Switch; IP 67; Right angle; PC board terminal; SPDT; Short hinge lever; 1,47N; Silver alloy	100
ABS451151	Panasonic Subminiature Switch; IP 67; Right angle; PC board terminal; SPDT; Short hinge lever; 1,47N; Au clad triple layer	100
ABS4512503	Panasonic Subminiature Switch; IP 67; Right angle; PC board terminal; SPDT; Hinge lever; 1,47N; Silver alloy	100
ABS451250	Panasonic Subminiature Switch; IP 67; Right angle; PC board terminal; SPDT; Hinge lever; 1,47N; Silver alloy	100
ABS4512513	Panasonic Subminiature Switch; IP 67; Right angle; PC board terminal; SPDT; Hinge lever; 1,47N; Au Clad triple layer; UL/CSA/VDE/SEMKO	100
ABS4512549	Panasonic Subminiature Switch; IP 67; Right angle; PC board terminal; SPDT; Hinge lever; 1,47N; Au clad double layer; UL/CSA	100
ABS451450	Panasonic Subminiature Switch; IP 67; Right angle; PC board terminal; SPDT; Simulated roller lever; 1,47N; Silver alloy	100
ABS4514513	Panasonic Subminiature Switch; IP 67; Right angle; PC board terminal; SPDT; Simulated roller lever; 1,47N; Au clad triple layer; UL/CSA/VDE/SEMKO	100
ABS451451	Panasonic Subminiature Switch; IP 67; Right angle; PC board terminal; SPDT; Simulated roller lever; 1,47N; Au clad triple layer	100
ABS4514549	Panasonic Subminiature Switch; IP 67; Right angle; PC board terminal; SPDT; Simulated roller lever; 1,47N; Au clad double layer; UL/CSA	100
ABS4516409	Panasonic Subminiature Switch; IP 67; Right angle; PC board terminal; SPDT; Roller lever; 0,98N; Silver alloy; UL/CSA	100
ABS4516413	Panasonic Subminiature Switch; IP 67; Right angle; PC board terminal; SPDT; Roller lever; 0,98N; Au clad triple layer; UL/CSA	100
ABS451651	Panasonic Subminiature Switch; IP 67; Right angle; PC board terminal; SPDT; Roller lever; 1,47N; Au clad triple layer	100
ABS4516549	Panasonic Subminiature Switch; IP 67; Right angle; PC board terminal; SPDT; Roller lever; 1,47N; Au clad double layer; UL/CSA	100
ABS451654	Panasonic Subminiature Switch; IP 67; Right angle; PC board terminal; SPDT; Roller lever; 1,47N; Au clad double layer	100
ABS461050	Panasonic Subminiature Switch; IP 67; Right angle; Wire leads; SPDT; Pin plunger; 1,47N; AgNi alloy	50
ABS461450	Panasonic Subminiature Switch; IP 67; Right angle; Wire leads; SPDT; Simulated roller lever; 1,47N; Silver alloy	50
ABS461451	Panasonic Subminiature Switch; IP 67; Right angle; Wire leads; SPDT; Simulated roller lever; 1,47N; Au clad triple layer	50
ABS461640	Panasonic Subminiature Switch; IP 67; Right angle; Wire leads; SPDT; Roller lever; 0,98N; Silver alloy	50
ABS461840	Panasonic Subminiature Switch; IP 67; Right angle; Wire leads; SPDT; Leaf lever; 0,98N; Silver alloy	50
ABS461841	Panasonic Subminiature Switch; IP 67; Right angle; Wire leads; SPDT; Leaf lever; 0,98N; Au clad triple layer	50
ABS461844	Panasonic Subminiature Switch; IP 67; Right angle; Wire leads; SPDT; Leaf lever; 0,98N; Au clad double layer	50
ABS462450	Panasonic Subminiature Switch; IP 67; Right angle; Wire leads; SPST NC; Simulated roller lever; 1,47N; AgNi alloy	50
ABS463451	Panasonic Subminiature Switch; IP 67; Right angle; Wire leads; SPST NO; Simulated roller; 1,47N; Au clad triple layer	50
ABS463641	Panasonic Subminiature Switch; IP 67; Right angle; Wire leads; SPST NO; Roller lever; 0,98N; Au clad triple layer	50
ABS551031	Panasonic Subminiature Switch; IP 67; Left angle; PC board terminal; SPDT; Pin plunger; Au clad triple layer	100
ABS551034	Panasonic Subminiature Switch; IP 67; Left angle; PC board terminal; SPDT; Pin plunger; Au clad double layer	100
ABS551040	Panasonic Subminiature Switch; IP 67; Left angle; PC board terminal; SPDT; Pin plunger; 0,98N; Silver alloy	100
ABS5510413	Panasonic Subminiature Switch; IP 67; Left angle; PC board terminal; SPDT; Pin plunger; 0,98N; Au clad triple layer; UL/c UL,VDE,ENEC	100
ABS5510503	Panasonic Subminiature Switch; IP 67; Straight type; 110 quick connect; SPDT; Pin plunger; 0,98N; Silver alloy; UL/CSA/VDE/SEMKO	100
ABS5510513	Panasonic Subminiature Switch; IP 67; Straight type; 110 quick connect; SPDT; Pin plunger; 0,98N; Au clad triple layer; UL/CSA/VDE/SEMKO	100
ABS5510543	Panasonic Subminiature Switch; IP 67; Straight type; 110 quick connect; SPDT; Pin plunger; 0,98N; UL/CSA/VDE/SEMKO	100
ABS5514513	Panasonic Subminiature Switch; IP 67; Left angle; PC board terminal; SPDT; Simulated roller lever; 1,47N; Au clad triple layer; UL/CSA/VDE/SEMKO	100
ABS5514549	Panasonic Subminiature Switch; IP 67; Left angle; PC board terminal; SPDT; Simulated roller lever; 1,47N; Au clad double layer; UL/CSA	100
ABS551634	Panasonic Subminiature Switch; IP 67; Left angle; PC board terminal; SPDT; Roller lever; 75gf; Gold clad double layer	100
ABS5516409	Panasonic Subminiature Switch; IP 67; Left angle; PC board terminal; SPDT; Roller lever; 0,98N; Silver alloy; UL/CSA	100
ABS551651	Panasonic Subminiature Switch; IP 67; Left angle; PC board terminal; SPDT; Roller lever; 1,47N; Au clad triple layer	100
ABS5516549	Panasonic Subminiature Switch; IP 67; Left angle; PC board terminal; SPDT; Roller lever; 1,47N; Au clad double layer; UL/CSA	100
ABS561040	Panasonic Subminiature Switch; IP 67; Left angle; Wire leads; SPDT; Pin plunger; 0,98N; Silver alloy	50
ABS561240	Panasonic Subminiature Switch; IP 67; Left angle; Wire leads; SPDT; Pin plunger; 1,47N; Au clad double layer; UL/CSA	50
ABS561340	Panasonic Subminiature Switch; IP 67; Left angle; Wire leads; SPDT; Long hinge lever; 0,98N; Silver alloy	50
ABS561451	Panasonic Subminiature Switch; IP 67; Left angle; Wire leads; SPDT; Simulated roller lever; 1,47N; Au clad triple layer	50
ABS561640	Panasonic Subminiature Switch; IP 67; Left angle; Wire leads; SPDT; Roller lever; 0,98N; Silver alloy	50
ABS561850	Panasonic Subminiature Switch; IP 67; Left angle; Wire leads; SPDT; Leaf lever; 1,47N; Silver alloy	50
ABS562154	Panasonic Subminiature Switch; IP 67; left angle; Wire leads; SPST NC; Short hinge lever; 0,59N; Au clad double layer	100
ABS563250	Panasonic Subminiature Switch; IP 67; Left angle; Wire leads; SPST NO; Leaf lever; 1,47N; Au clad triple layer	50
ABS5634549	Panasonic Subminiature Switch; IP 67; Left angle; Wire leads; SPST NO; Simulated roller; 0,54N; Au clad double layer; UL/CSA	100
ABS563641	Panasonic Subminiature Switch; IP 67; Left angle; Wire leads; SPST NO; Roller lever; 0,98N; Au clad triple layer	50
ABS563654	Panasonic Subminiature Switch; IP 67; Left angle; Wire leads; SPST NO; Roller lever; 0,59N; Au clad double layer	50
ABS563851	Panasonic Subminiature Switch; IP 67; Left angle; Wire leads; SPST NO; Leaf lever; 1,47N; Au clad triple layer	50
ABV1210403	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Pin plunger; 0,98N; AgNi alloy; UL/CSA/VDE/SEMKO	50
ABV1210413	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Pin plunger; 0,98N; AgNi alloy+Au clad; UL/CSA/VDE/SEMKO	50
ABV1210503	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Pin plunger; 1,96N; AgNi alloy; UL/CSA/VDE/SEMKO	50
ABV1210513	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Pin plunger; 1,96N; AgNi alloy+Au clad; UL/c UL,ENEC/VDE	50
ABV121060	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Pin plunger; 2,94N; AgNi alloy	50
ABV1210618	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Pin plunger; 2,94N; Au clad; VDE/SEMKO	50
ABV1210619	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Pin plunger; 2,94N; Au clad; UL/CSA	50
ABV121061	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Pin plunger; 2,94N; Au clad	50
ABV1212413	Panasonic Miniature switch series ABV1 (V Type); 187 quick connect terminal; SPDT; Hinge lever; 0,98N; AgNi alloy + Au clad; UL/CSA/VDE/SEMKO	50
ABV1212503	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Hinge lever; 1,96N; AgNi alloy; UL/CSA/VDE/SEMKO	50
ABV1212513	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Hinge lever; 1,96N; AgNi alloy+Au clad; UL/CSA/VDE/SEMKO	50
ABV121260	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Hinge lever; 2,94N; AgNi alloy	50
ABV1212608	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Hinge lever; 2,94N; AgNi alloy; VDE/SEMKO	50
ABV1212618	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Hinge lever; 2,94N; Au clad; VDE/SEMKO	50
ABV121261F	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Hinge lever, F= lever mounted close to the pin plunger; 2,94N; Au clad VDE/SEM	50
ABV121261	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Hinge lever; 2,94N; Au clad	50
ABV1214408	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Simulated roller lever; 0,98N; Silver alloy VDE/SEMKO	50
ABV1214513	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Simulated roller lever; 1,96N; AgNi alloy+Au clad; UL/CSA/VDE/SEMKO	50
ABV1214603	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Simulated roller lever; 2,94N; AgNi alloy; UL/CSA/VDE/SEMKO	50
ABV1214618	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Simulated roller lever; 2,94N; Au clad; VDE/SEMKO	50
ABV121461	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Simulated roller lever; 2,94N; Au clad	50
ABV1215413	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Short roller lever; 0,98 N; Au clad.	50
ABV1215503	Panasonic Miniature switch;IP67;quick connect terminal;SPDT;short roller lever;1,96N;Ag Ni contact;UL/c UL,ENEC/VDE	50

ABV1215513	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Short roller lever; 1,96N; Au clad.	50
ABV1215603	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Short roller lever; 2,94N; AgNi alloy; UL/CSA/VDE/SEMKO	50
ABV1215613	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Short roller lever; 2,94N; Au clad; UL/CSA/VDE/SEMKO	50
ABV1215613	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Short roller lever; 2,94N; Au clad; UL/CSA/VDE/SEMKO	50
ABV121561F	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Short roller lever, F=lever mounting close to the pin plunger; 2,94N; Au clad; UL/C	50
ABV1216403	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Roller lever; 0,98N; AgNi alloy; UL/CSA/VDE/SEMKO	50
ABV121640	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Roller lever; 0,98N; Silver alloy	50
ABV1216413	Panasonic Miniature Switch; IP 67; 187 Quick connect terminal; SPDT; Roller lever; 0,98N; AgNi alloy + Au clad; UL/CSA/VDE/SEMKO	50
ABV1216503	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Roller lever; 1,96N; AgNi alloy; UL/CSA/VDE/SEMKO	50
ABV1216508	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Roller lever; 1,96N; AgNi alloy	50
ABV121651	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Roller lever; 1,96N; Au clad	50
ABV121660	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Roller lever; 2,94N; AgNi alloy	50
ABV1216613	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Roller lever; 2,94N; Au clad; UL/CSA/VDE/SEMKO	50
ABV1216618	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Roller lever; 2,94N; Au clad; VDE/SEMKO	50
ABV121661	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPDT; Roller lever; 2,94N; Au clad	50
ABV1220513	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPST NC; Pin plunger; 1,96N; Au clad; UL/CSA/VDE/SEMKO	50
ABV1220618	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPST NC; Pin plunger; 2,94N; Au clad; VDE/SEMKO	50
ABV122061	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPST NC; Pin plunger; 2,94N; Au clad	50
ABV122450	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPST NC; Simulated roller lever; 1,96N; Silver alloy	50
ABV1224513	Panasonic Miniature Switch; IP 67; 187 Quick connect terminal; SPST NC; Simulated roller lever; 1,96 N; AgNi alloy + Au clad; UL/CSA/VDE and SEMKO	50
ABV1230503	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPST NO; Pin plunger; 1,96N; AgNi alloy; UL/c UL/ENEC/VDE	50
ABV1230513	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPST NO; Pin plunger; 1,96N; AgNi alloy+AU clad; UL/c UL/ENEC/VDE	50
ABV1230618	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPST NO; Pin plunger; 2,94N; Au clad; VDE/SEMKO	50
ABV123061	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPST NO; Pin plunger; 2,94N; Au clad	50
ABV123261	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPST NO; Hinge lever; 2,94N; Au clad	50
ABV123450	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPST NO; Simulated roller lever; 1,96N; AgNi alloy;	50
ABV1235613	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPST NO; Short roller lever; 2,94N; AgNi alloy; UL/CSA/VDE/SEMKO	50
ABV1236413	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPST NO; Roller lever; 2,94N; AgNi alloy + Au clad; UL/CSA/VDE/SEMKO	50
ABV1236503	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPST NO; Roller lever; 2,94N; AgNi alloy; UL/CSA/VDE/SEMKO	50
ABV123661	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPST NO; Roller lever; 2,94N; Au clad	50
ABV1236618	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPST NO; Roller lever; 2,94N; Au clad; VDE/SEMKO	50
ABV123661F	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPST NO; Roller lever, F= lever mounted close to the pin plunger; 2,94N; Au clad VDE/SI	50
ABV123661F	Panasonic Miniature Switch; IP 67; 187 quick connect terminal; SPST NO; Roller lever, F= lever mounted close to the pin plunger; 2,94N; Au clad VDE/SI	50
ABV1610403	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Pin plunger; 0,98N; AgNi alloy; UL/CSA/VDE/SEMKO	50
ABV1610503	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Pin plunger; 1,96N; AgNi alloy; UL/CSA/VDE/SEMKO	50
ABV1610513	Panasonic Miniature Switch; IP 67; Wire leads (450mm); SPDT; Pin plunger; 2,94N; Au clad UL/CSA/VDE/SEMKO	50
ABV161051	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Pin plunger; 1,96N; Au clad	50
ABV1610608	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Pin plunger; 2,94N; AgNi alloy; VDE/SEMKO	50
ABV1610613	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Pin plunger; 2,94N; Au clad; UL/CSA/VDE/SEMKO	50
ABV1610618	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Pin plunger; 2,94N; Au clad; VDE/SEMKO	50
ABV1610619	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Pin plunger; 2,94N; Au clad; UL/CSA	50
ABV161061	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Pin plunger; 2,94N; Au clad	50
ABV1612408	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Hinge lever; 0,98N; AgNi alloy	50
ABV1612413	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Hinge lever; 0,9 N; AgNi alloy + Au clad; UL/CSA/VDE/SEMKO	50
ABV1612503	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Hinge lever; 1,96 N; AgNi alloy; UL/CSA/VDE/SEMKO	50
ABV1612509	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Hinge lever; 1,96N; Silver alloy UL/CSA	50
ABV161250	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Hinge lever; 1,96N; Silver alloy	50
ABV1612513	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Hinge lever; 1,96N; Au clad; UL/CSA/VDE/SEMKO	50
ABV1612519	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Hinge lever; 1,96N; Au clad UL/CSA	50
ABV161251	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Hinge lever; 1,96N; Au clad	50
ABV1612613	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Hinge lever; 2,94N; Au clad; UL/CSA/VDE/SEMKO	50
ABV1612618	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Hinge lever; 2,94N; Au clad; VDE/SEMKO	50
ABV1612619	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Hinge lever; 2,94N; Au clad; UL/CSA	50
ABV161261	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Hinge lever; 2,94N; Au clad	50
ABV161440	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Simulated roller lever; 0,98N; Silver alloy	50
ABV1614503	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Simulated roller lever; 1,96N; AgNi alloy; UL/CSA/VDE/SEMKO	50
ABV1614513	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Simulated roller lever; 1,96N; Au clad; UL/CSA/VDE/SEMKO	50
ABV161451	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Simulated roller lever; 1,96N; Au clad	50
ABV1614603	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Simulated roller lever; 2,94N; AgNi alloy; UL/CSA/VDE/SEMKO	50
ABV1614613	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Simulated roller lever; 2,94N; Au clad; UL/CSA/VDE/SEMKO	50
ABV1614618	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Simulated roller lever; 2,94N; Au clad; VDE/SEMKO	50
ABV161461	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Simulated roller lever; 2,94N; Au clad	50
ABV1615403	Panasonic Turquoise switch with improved short roller lever (refer to T 1063)	50
ABV1615413	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; 0,98 N; AgNi alloy + Au clad; UL/CSA/VDE/SEMKO improved short roller lever	50
ABV1615503	Panasonic Turquoise switch with improved short roller lever (refer to T 1063)	50
ABV1615513	Panasonic Turquoise switch with improved short roller lever (refer to T 1063)	50
ABV1615603	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Short roller lever; 2,94N; AgNi alloy; UL/CSA/VDE/SEMKO	50
ABV1615613	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Short roller lever; 2,94N; Au clad; UL/CSA/VDE/SEMKO	50
ABV1616503	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Roller lever; 1,96 N; AgNi alloy; UL/CSA/VDE/SEMKO	50
ABV1616513	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Roller lever; 1,96 N; Au clad; UL/CSA/VDE/SEMKO	50
ABV161651	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Roller lever; 1,96N; Au clad	50
ABV1616609	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Roller lever; 2,94N; AgNi alloy; UL/CSA	50
ABV161660	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Roller lever; 2,94N; Ag Ni alloy	50

ABV1616613	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Roller lever; 2,94N; AgNi alloy; UL/CSA/VDE/SEMKO	50
ABV1616618	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Roller lever; 2,94N; Au clad; VDE/SEMKO	50
ABV1616619	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Roller lever; 2,94N; Au clad; UL/CSA	50
ABV161661	Panasonic Miniature Switch; IP 67; Wire leads; SPDT; Roller lever; 2,94N; Au clad	50
ABV1620513	Panasonic Miniature Switch; IP 67; Wire leads; SPST NC; Pin plunger; 1,96N; Au clad; UL/CSA/VDE/SEMKO	50
ABV1620613	Panasonic Miniature Switch; IP 67; Wire leads; SPST NC; Pin plunger; 2,94N; Au clad; UL/CSA/VDE/SEMKO	50
ABV162061	Panasonic Miniature Switch; IP 67; Wire leads; SPST NC; Pin plunger; 2,94N; Au clad	50
ABV162450	Panasonic Miniature Switch; IP 67; Wire leads; SPST NC; Simulated roller lever; 1,96N; Silver alloy	50
ABV162451	Panasonic Miniature Switch; IP 67; Wire leads; SPST NC; Simulated roller lever; 1,96N; Au clad	50
ABV1625503	Panasonic Miniature Switch; IP 67; Wire leads; SPDT NC; Short roller lever; 1,96N; AgNi alloy; UL/CSA/VDE/SEMKO	50
ABV1625613	Panasonic Miniature Switch; IP 67; Wire leads; SPST NC; Short roller lever; 2,94N; Au clad; UL/CSA/VDE/SEMKO	50
ABV162661	Panasonic Miniature Switch; IP 67; Wire leads; SPST NC; Roller lever; 2,94N; Au clad	50
ABV1630403	Panasonic Miniature Switch; IP67; Wire leads; SPST NO; Pin Plunger; 0,98N; AgNi alloy; UL/c UL, ENEC/VDE	50
ABV1630413	Panasonic Miniature Switch; IP67; Wire leads; SPST NO; Pin Plunger; 0,98N; AgNi alloy + Au clad; UL/c UL, ENEC/VDE	50
ABV1630503	Panasonic Miniature Switch; IP67; Wire leads; SPST NO; Pin plunger; 1,96N; AgNi alloy; UL/CSA/VDE/SEMKO	50
ABV1630513	Panasonic Miniature Switch; IP67; Wire leads; SPST NO; 1,96N; AgNi alloy + AU clad; UL/c U, ENEC/VDE; Pin plunger	50
ABV163060	Panasonic Miniature Switch; IP 67; Wire leads; SPST NO; Pin plunger; 2,94N; AgNi alloy	50
ABV1630613	Panasonic Miniature Switch; IP 67; Wire leads; SPST NO; Pin plunger; 2,94N; AgNi alloy; UL/CSA/VDE/SEMKO	50
ABV163061	Panasonic Miniature Switch; IP 67; Wire leads; SPST NO; Pin plunger; 2,94N; Au clad	50
ABV1632413	Panasonic Miniature Switch; IP 67; Wire leads; SPST NO; Hinge lever; 0,98 N; AgNi alloy + Au clad; UL/CSA/VDE/SEMKO	50
ABV1632608	Panasonic Miniature Switch; IP 67; Wire leads; SPST NO; Hinge lever; 2,94N; AgNi alloy VDE/SEMKO	50
ABV163260	Panasonic Miniature Switch; IP 67; Wire leads; SPST NO; Hinge lever; 2,94N; AgNi alloy	50
ABV163261	Panasonic Miniature Switch; IP 67; Wire leads; SPST NO; Hinge lever; 2,94N; Au clad	50
ABV163440	Panasonic Miniature Switch; IP 67; Wire leads; SPST NO; Simulated roller lever; 0,98N; Silver alloy	50
ABV163461	Panasonic Miniature Switch; IP 67; Wire leads; SPST NO; Simulated roller lever; 2,94N; Au clad	50
ABV1635503	Panasonic Miniature Switch; IP 67; Wire leads; SPDT NO; Short roller lever; 1,96N; AgNi alloy; UL/CSA/VDE/SEMKO	50
ABV1635513	Panasonic Miniature Switch; IP 67; Wire leads; SPST NO; Short roller lever; 2,16N; Au clad; UL/CSA/VDE/SEMKO	50
ABV1635513	Panasonic Miniature switch series ABV1; IP67; wire leads; SPST NO; improved short roller lever; 1,96N; AgNialloy+Au; UL/CSA/VDE/SEMKO; customize	50
ABV1635613	Panasonic Miniature Switch; IP 67; Wire leads; SPST NO; Short roller lever; 2,94N; Au clad; UL/CSA/VDE/SEMKO	50
ABV1636513	Panasonic Miniature switch series ABV1; IP67; wire leads; SPST NO; roller lever; 1,96N; AgNi alloy+Au; UL/CSA/VDE/SEMKO	50
ABV19164	Panasonic Miniature Switch; Special type; F 6 = 2.94N only for existing business and not for new design	1
ABV19350	Panasonic Miniature Switch; IP 67; Wire leads with 1300mm lenght	50
AEQ10410	Panasonic Ultraminiature Switch; Low level Load; IP 40; 3 mm mounting hole; boss type; solder terminal type; SPDT; PIN plunger	100
AEQ10417	Panasonic Ultraminiature Switch; Low level Load; IP 40; 3 mm mounting hole; boss type; solder terminal type; SPDT; Leaf lever	100
AEQ10418	Panasonic Ultraminiature Switch; Low level Load; IP 40; 3 mm mounting hole; boss type; solder terminal type; SPDT; Simulated Leaf lever	100
AEQ11510	Panasonic Ultraminiature Switch; Low level Load; IP 40; 3 mm mounting hole; w/o boss type; PCB terminal type; SPDT; PIN plunger	100
AEQ11517	Panasonic Ultraminiature Switch; Low level Load; IP 40; 3 mm mounting hole; w/o boss type; PCB terminal type; SPDT; Leaf lever	100
AEQ11518	Panasonic Ultraminiature Switch; Low level Load; IP 40; 3 mm mounting hole; w/o boss type; PCB terminal type; SPDT; Simulated Leaf lever	100
AEVD111	Panasonic Automotive high voltage switch, 1 Form A, Screw Terminal, Contact rating: 80A	1
AGX105F	Panasonic Interlock Switch; 1 Form A Power switching contact; Standard type 10.1 A (Snap in mounting); 250 Quick connect terminal (O.T. 2 mm)	100
AGX106F	Panasonic Interlock Switch; 1 Form A Power switching contact; Standard type 10.1 A (Snap in mounting); 250 Quick connect terminal (O.T. 4 mm)	100
AGX205F	Panasonic Interlock Switch; 2 Form A Power switching contact; Standard type 10.1 A (Snap in mounting); 250 Quick connect terminal (O.T. 2 mm)	100
AGX206F	Panasonic Interlock Switch; 2 Form A Power switching contact; Standard type 10.1 A (Snap in mounting); 250 Quick connect terminal (O.T. 4 mm)	100
AGX706F	Panasonic Interlock Switch; 2 Form A Power switching contact and 1 Form A Signal switching contact; Standard type 10.1 A (Snap in mounting); 250 Qui	100
AH1460619-A	Panasonic Ultraminiature Switch; IP40; 2,0mm mounting holes; PCB; 1,47N with stand off; Pin plunger; AgNi alloy+Gold clad UL/CSA	50
AH146061-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; PCB; 1,47N; Pin plunger; Gold contact	50
AH14609-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; PCB; 1,47N; Pin plunger; Silver contact; UL/CSA	50
AH1460-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; PCB; 1,47N; Pin plunger; Silver contact	50
AH1462619-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; PCB; 1,47N; Hinge lever; Gold contact; UL/CSA	50
AH146261-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; PCB; 1,47N; Hinge lever; Gold contact	50
AH14629-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; PCB; 1,47N; Hinge lever; Silver contact; UL/CSA	50
AH1462-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; PCB; 1,47N; Hinge lever; Silver contact	50
AH146461-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; PCB; 1,47N; Simulated roller lever; Gold contact	50
AH14649-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; PCB; 1,47N; Simulated roller lever; Silver contact; UL/CSA	50
AH1480619-A	Panasonic Ultraminiature Switch; 2.0 mm self standing PC board terminal with stand off; 0.74 N; Pin plunger; AgNi alloy+Gold clad; UL/CSA	50
AH148061-A	Panasonic Ultraminiature Switch; IP40; 2,0mm mounting holes; PCB; 0,74N; Pin plunger; Gold contact	50
AH14809-A	Panasonic Ultraminiature Switch; IP40; 2,0mm mounting holes; PCB; 0,74N; Pin plunger; Silver contact; UL/CSA	50
AH1480-A	Panasonic Ultraminiature Switch; IP40; 2,0mm mounting holes; PCB; 0,74N; Pin plunger; Silver contact	50
AH1482619-A	Panasonic Ultraminiatur Switch; IP40; 2.0 mm Self standing PC board terminal with stand off; 0,74N; Hinge lever; AgNi alloy + Gold clad; UL/CSA	50
AH148261-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; PCB; 0,74N; Hinge lever; Gold contact	50
AH14829-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; PCB; 0,74N; Hinge lever; Silver contact; UL/CSA	50
AH1482-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; PCB; 0,74N; Hinge lever; Silver contact	50
AH148461-A	Panasonic Ultra miniature Switch; IP40; 2,0mm mounting holes; PCB; 0,74N; Simulated roller lever; Gold contact	50
AH14849-A	Panasonic Ultra miniature Switch; IP40; 2,0mm mounting holes; PCB; 0,74N; Simulated roller lever; Silver contact; UL/CSA	50
AH1484-A	Panasonic Ultra miniature Switch; IP40; 2,0mm mounting holes; PCB; 0,74N; Simulated roller lever; Silver contact	50
AH1560619-A	Panasonic Ultra Miniature Switch; IP40; 2,0mm mounting holes; PCB; 1,47N; Pin plunger; Gold contact	50
AH15609-A	Panasonic Ultra Miniature Switch; Straight PC board terminal with stand off; 1.47 N with stand off; Pin plunger; UL/CSA.	50
AH1562619-A	Panasonic Ultra Miniature Switch; Straight PC board terminal with stand off; 1.47 N; Hinge lever; AgNi alloy +Gold clad; UL/CSA	50
AH15629-A	Panasonic Ultra Miniature Switch; Straight PC board terminal with stand off; 1.47 N; Hinge lever; AgNi alloy; UL/CSA	50
AH1564619-A	Panasonic Ultra Miniature Switch; Straight PC board terminal with stand off; 1.47 N; Simulated roller lever; AgNi alloy+Gold clad; UL/CSA	50
AH15649	Panasonic Ultra Miniature Switch; Straight PC board terminal with stand off; 0.54 N; Simulated roller lever; AgNi alloy; UL/CSA	50
AH15809-A	Panasonic Ultra Miniature Switch; IP40; Straight PCB; 0,74N with stand off; Pin plunger; AgNi alloy; UL/CSA	50
AH1582619-A	Panasonic Ultra Miniature Switch; IP40; 2,0mm mounting holes; Straight PCB; 0,74N; Hinge lever; Gold contact; UL/CSA	50

AH15829-A	Panasonic Ultra Miniature Switch; Straight PC board terminal with stand off; 0.74 N; Hinge lever; AgNi alloy; UL/CSA	50
AH1584619-A	Panasonic Ultra Miniature Switch; Straight PC board terminal with stand off; 0.74 N; Simulated roller lever; AgNi alloy+Gold clad; UL/CSA	50
AH15849	Panasonic Ultra Miniature Switch; Straight PC board terminal with stand off; 0.26 N; Simulated roller lever; AgNi alloy; UL/CSA	50
AH1660619-A	Panasonic Ultra miniature Switch; IP40; 2,0mm mounting holes; solder terminal; 1,47N; Pin plunger; Gold contact; UL/CSA	50
AH16609-A	Panasonic Ultra miniature Switch; IP40; 2,0mm mounting holes; solder terminal; 1,47N; Pin plunger; Silver contact; UL/CSA	50
AH1660-A	Panasonic Ultra miniature Switch; IP40; 2,0mm mounting holes; solder terminal; 1,47N; Pin plunger; Silver contact	50
AH1662619	Panasonic Ultraminiature switch; IP40; 2,0mm mounting holes; solder terminal with stand off; 1,47N; hinge lever: gold contact; UL/CSA	50
AH166261-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; solder terminal; 1,47N; Hinge lever; Gold contact	50
AH16629-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; solder terminal; 1,47N; Hinge lever; Silver contact; UL/CSA	50
AH1662-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; solder terminal; 1,47N; Hinge lever; Silver contact	50
AH1664619-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; solder terminal; 1,47N; Simulated roller lever; Gold contact	50
AH166461-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; solder terminal; 1,47N; Simulated roller lever; Gold contact	50
AH16649-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; solder terminal; 1,47N; Simulated roller lever; Silver contact; UL/CSA	50
AH1680619-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; solder terminal; 0,74N; Pin plunger; Gold contact; UL/CSA	50
AH168061-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; solder terminal; 0,74N; Pin plunger; Gold contact	50
AH16809-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; solder terminal; 0,74N; Pin plunger; Silver contact; UL/CSA	50
AH1680-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; solder terminal; 0,74N; Pin plunger; Silver contact	50
AH168261	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; solder terminal; 0,74N; Hinge lever; Gold contact	50
AH16829-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; solder terminal; 0,74N; Hinge lever; Silver contact; UL/CSA	50
AH1682-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; solder terminal; 0,74N; Hinge lever; Silver contact	50
AH1684619	Panasonic Ultraminiature Switch; IP40; 2,0mm mounting holes; solder terminal; 0,74N; Simulated roller lever; Gold contact; UL/CSA	50
AH168461-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; solder terminal; 0,74N; Simulated roller lever; Gold contact	50
AH16849-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; solder terminal; 0,74N; Simulated roller lever; Silver contact; UL/CSA	50
AH176061-A	Panasonic Ultra Miniature Switch; IP40; 2,0mm mounting holes; PCB right angle; 1,47N; Pin plunger; Gold contact	50
AH17609-A	Panasonic Ultra Miniature Switch; IP40; 2,0mm mounting holes; PCB right angle; 1,47N; Pin plunger; Silver Nickel contact	50
AH1762619-A	Panasonic Ultra Miniature Switch; IP40; 2,0mm mounting holes; PCB right angle; 1,47N; Hinge lever; Gold contact; UL/CSA	50
AH176261-A	Panasonic Ultra Miniature Switch; IP40; 2,0mm mounting holes; PCB right angle; 1,47N; Hinge lever; Gold contact	50
AH17629-A	Panasonic Ultra Miniature Switch; 2.0 mm PC board right angle terminal; 1.47 N with stand off; Hinge lever; UL/CSA.	50
AH1762-A	Panasonic Ultra Miniature Switch; IP40; 2,0mm mounting holes; PCB right angle; 1,47N; Hinge lever; Silver contact	50
AH1764619-A	Panasonic Ultraminiature Switch; 2.0 mm PC board right angle terminal; 1.47 N with stand off; Simulated roller lever; AgNi alloy + Gold clad; UL/CSA	50
AH176461-A	Panasonic Ultra Miniature Switch; IP40; 2,0mm mounting holes; PCB right angle; 1,47N; Simulated roller lever; Gold contact	50
AH17649-A	Panasonic Ultraminiatur Switch; 2.0 mm PC board right angle terminal; 1.47 N with stand off; Simulated roller lever; UL/CSA	50
AH1764-A	Panasonic Ultra Miniature Switch; IP40; 2.0 mm mounting holes; PCB right angle; 1,47N; Simulated roller lever; Gold contact	50
AH1780619-A	Panasonic Ultra Miniature Switch; IP40; 2.0 mm mounting holes; PCB right angle; 0,74N; Pin plunger; AgNi alloy + Gold clad, UL/CSA; Cadmium free	50
AH178061-A	Panasonic Ultra Miniature Switch; IP40; 2,0mm mounting holes; PCB right angle; 0,74N; Pin plunger; AgNi alloy + Gold clad..	50
AH17809-A	Panasonic Ultra Miniature Switch; 2.0 mm PCB right angle terminal; 0.74 N with stand off; Pin plunger; UL/CSA.	50
AH1780-A	Panasonic Ultra Miniature Switch; IP40; 2.0 mm mounting holes; PCB right angle; 0,74N; Pin plunger; Silver contact.	50
AH1782619-A	Panasonic Ultra miniature Switch; IP40; 2,0mm mounting holes; PCB right angle; 0,74N; Hinge lever; Gold contact; UL/CSA	50
AH178261-A	Panasonic Ultra miniature Switch; IP40; 2,0mm mounting holes; PCB right angle; 0,74N; Hinge lever; Gold contact	50
AH1782-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; PCB right angle; 0,74N; Hinge lever; Silver contact	50
AH178461-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; PCB right angle; 0,74N; Simulated roller lever; Gold contact	50
AH1784-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; PCB right angle; 0,74N; Simulated roller lever; Silver contact	50
AH1860619-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; PCB; 1,47N; Pin plunger; Gold contact	50
AH186061-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; PCB left angle; 1,47N; Pin plunger; Gold contact	50
AH18609-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; PCB; 1,47N; Pin plunger; Gold contact	50
AH1860-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; PCB left angle; 1,47N; Pin plunger; Silver contact	50
AH1862619-A	Panasonic Ultra miniature Switch; IP40; 2,0mm mounting holes; PCB left angle; 1,47N; Hinge lever; Gold contact; UL/CSA	50
AH186261-A	Panasonic Ultra miniature Switch; IP40; 2,0mm mounting holes; PCB left angle; 1,47N; Hinge lever; Gold contact	50
AH18629-A	Panasonic Ultra miniature Switch; IP40; 2,0mm mounting holes; PCB left angle; 1,47N with stand off; Hinge lever; UL/CSA	50
AH1862-A	Panasonic Ultra miniature Switch; IP40; 2,0mm mounting holes; PCB left angle; 1,47N; Hinge lever; Silver contact	50
AH1864619	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; PCB left angle; 1,47N; Simulated roller lever; Gold contact; UL/CSA	50
AH186461-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; PCB left angle; 1,47N; Simulated roller lever; Gold contact	50
AH1864-A	Panasonic Ultraminiatur Switch; IP40; 2,0mm mounting holes; PCB left angle; 1,47N; Simulated roller lever; Silver contact	50
AH1880619-A	Panasonic Ultraminiature Switch; 2.0 mm PC board left angle terminal; 0.74 N with stand off; Pin plunger; AgNi alloy + Gold clad; UL/CSA	50
AH188061-A	Panasonic Ultraminiature Switch; IP40; 2,0mm mounting holes; PCB left angle; 0,74N; Pin plunger; Gold contact	50
AH18809-A	Panasonic Ultraminiature Switch; IP40; 2.0 mm mounting holes; PCB left angle; 0,74N with stand off; Pin plunger; UL/CSA	50
AH1882619-A	Panasonic Ultraminiature Switch; IP40; 2,0mm mounting holes; PCB left angle; 0,74N; Hinge lever; Gold contact; UL/CSA	50
AH188261-A	Panasonic Ultraminiature Switch; IP40; 2,0mm mounting holes; PCB left angle; 0,74N; Hinge lever; Gold contact	50
AH18829-A	Panasonic Ultraminiature switch; 2.0 mm PC board left angle terminal; 0.74 N with stand off; Hinge lever; AgNi alloy; UL/CSA	50
AH1882-A	Panasonic Ultraminiature Switch; IP40; 2,0mm mounting holes; PCB left angle; 0,74N; Hinge lever; Silver contact	50
AH188461-A	Panasonic Ultraminiature Switch; IP40; 2,0mm mounting holes; PCB left angle; 0,74N; simulated roller lever; gold clad contact	50
AHF21	Panasonic Detection Switch; Vertical mounting	50
AHF22	Panasonic Detection Switch; Horizontal mounting	50
AHF23	Panasonic Detection Switch; Reverse mounting	50
AHW1240-A	Panasonic Ultra miniature switch; Cadmium free	100
AJ7102BF	Panasonic Power Rocker Switch; 10A standard size; 1 pole ON OFF; 187 quick connect terminal; I/O indication on Top; black actuator; black flange; short guard t	100
AJ7112BF	Panasonic Power Rocker Switch; 10A standard size; 1 pole ON OFF; soldering terminal; I/O indication on Top; black actuator; black flange; short guard t	100
AJ7120BF	Panasonic Power Rocker Switch; 10A standard actuator type; Black actuator; 1 pole, single throw (ON OFF); PC board terminal; Without indication	100
AJ7122BF	Panasonic Power Rocker Switch; 10A standard size; 1 pole ON OFF; PC board terminal; I/O indication on Top; black actuator; black flange; short guard t	100
AJ7131BF	Panasonic Power Rocker Switch; 10A standard actuator type; Black actuator; 1 pole, single throw (ON OFF); PC board right angle terminal; with indicatio	100
AJ7200B	Panasonic Power Rocker Switch; 10A standard size; 2 pole, single throw (ON OFF); 187 Quick connect terminal; black actuator	100
AJ7201WWF	Panasonic Power Rocker Switch; 10A standard size; 2 pole, single throw (ON OFF); 187 Quick connect terminal; Indication on top; White actuator and fla	100
AJ7202BF	Panasonic Power Rocker Switch; 10A standard size; 2 pole, single throw (ON OFF); 187 Quick connect terminal; I/O indication on top; black actuator; car	100

AJ7211BF	Panasonic Power Rocker Switch; 10A standard size; 2 pole, single throw (ON OFF); soldering terminal; I/O indication on top; black actuator; cadmium free	100
AJ7231BF	Panasonic Power Rocker Switch; 10A standard size; 2 pole, single throw (ON OFF); PC board right angle terminal; I/O indication on top; black actuator; c	100
AJ7241BF	Panasonic Power Rocker Switch; 10A standard size; 2 pole, single throw (ON OFF); PC board left angle terminal; I/O indication on top; black actuator; ca	100
AJ7242BF	Panasonic Power Rocker Switch; 10A standard size; 2 pole, single throw (ON OFF); PC board left angle terminal; I/O indication on top; black actuator; ca	100
AJ76102BF	Panasonic Power Rocker Switch; 6A standard size; 1 pole ON OFF; quick connect terminal; I/O indication on Top; black actuator; black flange; short guard	100
AJ76120BF	Panasonic Power Rocker Switch; 6A; Black actuator; 1 pole, single throw (ON OFF); PC board terminal; Without indication	100
AJ76201BF	Panasonic Power Rocker Switch; 6A standard size; 2 pole, single throw (ON OFF); 187 Quick connect terminal; (/ O) indication on top; black actuator;	100
AJ8102BF	Panasonic Power Rocker Switch; Standard actuator; 1 pole, single throw (ON OFF); Quick connect terminal; / O indication on actuator; Black actuator; S	100
AJ8102BTF	Panasonic Power Rocker Switch; Standard actuator; 1 pole single throw (ON OFF); Quick connect terminal; / O indication; Black actuator; Long guard type	100
AJ8111BF	Panasonic Power Rocker Switch; Standard actuator; 1 pole, single throw (ON OFF); Soldering terminal; Actuator indication I O; Black actuator; Short guard	100
AJ8120BF	Panasonic Power Rocker Switch; Standard actuator; 1 pole, single throw (ON OFF); PC board terminal; No indication on actuator; Black actuator; Short g	100
AJ8200BF	Panasonic Power Rocker Switch; Standard actuator; 2 pole, single throw (ON OFF); Quick connect terminal; No indication on actuator; Black actuator; S	100
AJ8201BF	Panasonic Power Rocker Switch; Standard actuator; 2 pole, single throw (ON OFF); Quick connect terminal; I O indication on actuator; Black actuator; C	100
AJ8202BF	Panasonic Power Rocker Switch; Standard actuator; 2 pole, single throw (ON OFF); Quick connect terminal; / O indication on actuator; Black actuator; S	100
AJ8202BTF	Panasonic Power Rocker Switch; Standard actuator; 2 pole single throw (ON OFF); Quick connect terminal; I O indication; black actuator; Cadmium free	100
AJ8212BTF	Panasonic Power Rocker Switch; standard actuator; 2 pole single throw (ON OFF); solder terminal; indication on actuator; black actuator; flange colour bl	100
AJ8232BF	Panasonic Power Rocker Switch; Standard actuator; 2 pole, single throw (ON OFF); PC board right angle terminal; / O indication on actuator; Black act	100
AJ8241BF	Panasonic Power Rocker Switch; Standard actuator; 2 pole, single throw (ON OFF); PC board left angle terminal; I O indication on actuator; Black actuat	100
AJ8R2004BB	Panasonic Power rocker switch with trip function; Double pole (ON OFF); 250 Quick connect terminal; DC 24V; Black; Black; Upgraded type; Cadmium fr	100
AJ8R2023BB	Panasonic Power rocker switch; Double pole (ON OFF); 250 Quick connect terminal; DC 12V; Black; Black; Upgraded type; Cadmium free	100
AJ8R2024ZB	Panasonic Power rocker switch with trip function; Double pole (ON OFF); 250 Quick connect terminal; 01; DC 24V; Dark gray; Black; Upgraded type; cad	100
AJ8R5021ZC	Panasonic Power rocker switch; Single pole (ON ON); 250 Quick connect terminal; DC 5V; Dark gray; Upgraded type.	100
AJ8S700BC	Panasonic Power rocker switch with a contact for low level current; 2 sets of power contact, one signal contact; ON OFF; 250 Quick connect terminal; with	50
AJ8S701BC	Panasonic Power rocker switch with a contact for low level current; 2 sets of power contact, one signal contact; ON OFF; 250 Quick connect terminal; with	50
AJ8W201BF	Panasonic Power Rocker Switch; Wide actuator; 2 pole, single throw (ON OFF); Quick connect terminal; I O indication on actuator; Black actuator; cadmiu	100
AJ8W211BF	Panasonic Power Rocker Switch; Wide actuator; 2 pole, single throw (ON OFF); Soldering terminal; I O indication on actuator; Black actuator; Cadmium fr	100
AM1100F	Panasonic NZ Basic switch; Flat solder terminal; Standard type; Pin plunger; Cadmium free	20
AM1105F	Panasonic NZ Basic switch; Flat solder terminal; Standard type; Overtravel plunger; Cadmium free	20
AM1106F	Panasonic NZ Basic switch; Flat solder terminal; Standard type; Compact overtravel plunger; Cadmium free	20
AM1107F	Panasonic NZ Basic switch; Flat solder terminal; Standard type; Panel mount plunger; Cadmium free	20
AM110811F	Panasonic NZ Basic switch; Flat solder terminal; Standard type; Panel mount roller plunger; Cadmium free	20
AM110812F	Panasonic NZ Basic switch; Flat solder terminal; Standard type; Panel mount cross roller plunger; Cadmium free	20
AM1300F	Panasonic NZ Basic switch; Flat screw terminal; Standard type; Pin plunger; Cadmium free	20
AM1301F	Panasonic NZ Basic switch; Flat screw terminal; Standard type; Hinge lever (leaf spring); Cadmium free	20
AM1303F	Panasonic NZ Basic switch; Flat screw terminal; Standard type; Hinge roller lever (roller leaf spring); Cadmium free	20
AM1305F	Panasonic NZ Basic switch; Flat screw terminal; Standard type; Overtravel plunger; Cadmium free	20
AM1306F	Panasonic NZ Basic switch; Flat screw terminal; Standard type; Compact overtravel plunger; Cadmium free	20
AM1307F	Panasonic NZ Basic switch; Flat screw terminal; Standard type; Panel mount plunger; Cadmium free	20
AM130811F	Panasonic NZ Basic switch; Flat screw terminal; Standard type; Panel mount roller plunger; Cadmium free	20
AM130812F	Panasonic NZ Basic switch; Flat screw terminal; Standard type; Panel mount cross roller plunger; Cadmium free	20
AM1501F	Panasonic NZ Basic switch; Grooved solder terminal; Standard type; Hinge lever (leaf spring); Cadmium free	20
AM1503F	Panasonic NZ Basic switch; Grooved solder terminal; Standard type; Hinge roller lever (roller leaf spring); Cadmium free	20
AM1504F	Panasonic NZ Basic switch; Grooved solder terminal; Standard type; Hinge short roller lever; Cadmium free	20
AM1513F	Panasonic NZ Basic switch; Grooved solder terminal; Oil tight type; Hinge roller lever (roller leaf spring); Cadmium free	20
AM1514F	Panasonic NZ Basic switch; Grooved solder terminal; Standard type; Hinge short roller lever; Cadmium free	20
AM1531F	Panasonic NZ Basic switch; Grooved solder terminal; Reversed action type; Hinge lever (leaf spring); Cadmium free	20
AM1533F	Panasonic NZ Basic switch; Grooved solder terminal; Reversed action type; Hinge roller lever (roller leaf spring); Cadmium free	20
AM1534F	Panasonic NZ Basic switch; Grooved solder terminal; Reversed action type; Hinge short roller lever; Cadmium free	20
AM1543F	Panasonic NZ Basic switch; Grooved solder terminal; One way type; Hinge roller lever (roller leaf spring); Cadmium free	20
AM1544F	Panasonic NZ Basic switch; Grooved solder terminal; One way type; Hinge short roller lever; Cadmium free	20
AM1701F	Panasonic NZ Basic switch; Grooved screw terminal; Standard type; Hinge lever (leaf spring); Cadmium free	20
AM1703F	Panasonic NZ Basic switch; Grooved screw terminal; Standard type; Hinge roller lever (roller leaf spring); Cadmium free	20
AM1704F	Panasonic NZ Basic switch; Grooved screw terminal; Standard type; Hinge short roller lever; Cadmium free	20
AM1711F	Panasonic NZ Basic switch; Grooved screw terminal; Oil tight type; Hinge lever (leaf spring); Cadmium free	20
AM1713F	Panasonic NZ Basic switch; Grooved screw terminal; Oil tight type; Hinge roller lever (roller leaf spring); Cadmium free	20
AM1714F	Panasonic NZ Basic switch; Grooved screw terminal; Oil tight type; Hinge short roller lever; Cadmium free	20
AM1731F	Panasonic NZ Basic switch; Grooved screw terminal; Reverse action type; Hinge lever (leaf spring); Cadmium free	20
AM1733F	Panasonic NZ Basic switch; Grooved screw terminal; Reverse action type; Hinge roller lever (roller leaf spring); Cadmium free	20
AM1734F	Panasonic NZ Basic switch; Grooved screw terminal; Reverse action type; Hinge short roller lever; Cadmium free	20
AM1743F	Panasonic NZ Basic switch; Grooved screw terminal; One way type; Hinge roller lever (roller leaf spring); Cadmium free	20
AM1744F	Panasonic NZ Basic switch; Grooved screw terminal; One way type; Hinge short roller lever; Cadmium free	20
AM50010A43-	Panasonic Miniature Switch; IP 40; 0,1 A (Au clad); Bottom COM, SPDT; Pin plunger; 187 Quick connect/solder terminal; 0,98N; UL/CSA/VDE/SEMKO	100
AM50010A53-	Panasonic Miniature Switch; IP 40; 0,1 A (Au clad); Bottom COM, SPDT; Pin plunger; 187 Quick connect/solder terminal; 1,96N; UL/CSA/VDE/SEMKO	100
AM50010C33-	Panasonic Miniature Switch; IP 40; 0,1 A (Au clad); Bottom COM, SPDT; Pin plunger; 187 Quick connect terminal; 0,49N; UL/CSA/VDE/SEMKO	100
AM50010C43-	Panasonic Miniature Switch; IP 40; 0,1 A (Au clad); Bottom COM, SPDT; Pin plunger; 187 Quick connect terminal; 0,98N; UL/CSA/VDE/SEMKO	100
AM50010C53-	Panasonic Miniature Switch; IP 40; 0,1 A (Au clad); Bottom COM, SPDT; Pin plunger; 187 Quick connect terminal; 1,96N; UL/CSA/VDE/SEMKO	100
AM50011C53-	Panasonic Miniature Switch; IP 40; 0,1 A (Au clad); Bottom COM, SPDT; Short hinge lever; 187 Quick connect terminal; 1,96 N; UL/CSA/VDE/SEMKO.	50
AM50011D43-	Panasonic Miniature Switch; IP 40; 0,1 A; Bottom COM, SPDT; Short hinge lever; 250 Quick connect terminal; 0,98N; UL/CSA/VDE/SEMKO	50
AM50011D53-	Panasonic Miniature Switch; IP 40; 0,1 A (Au clad); Bottom COM, SPDT; Short hinge lever; 250 Quick connect terminal; 1,96 N; UL/CSA/VDE/SEMKO	50
AM50012A33-	Panasonic Miniature Switch; IP 40; 0,1 A (Gold clad); Bottom COM, SPDT; Hinge lever; 187 Quick connect/solder terminal; 0,49 N; UL/CSA/VDE/SEMKC	50
AM50012A43-	Panasonic Miniature Switch; IP 40; 0,1 A (Gold clad); Bottom COM, SPDT; Hinge lever; 187 Quick connect/solder terminal; 0,98 N; UL/CSA/VDE/SEMKC	50
AM50012A53-	Panasonic Miniature Switch; IP 40; 0,1 A (Gold clad); Bottom COM, SPDT; Hinge lever; 187 Quick connect/solder terminal; 1,96 N; UL/CSA/VDE/SEMKC	50
AM50012C33-	Panasonic Miniature Switch; IP 40; 0,1 A (Gold clad); Bottom COM, SPDT; Hinge lever; 187 Quick connect terminal; 0,49 N; UL/CSA/VDE/SEMKO.	50

AM50012C33-	Panasonic Miniature Switch; IP 40; 0,1 A (Au clad); Bottom COM, SPDT; Hinge lever; 187 Quick connect terminal; 0,29N	50
AM50012C43-	Panasonic Miniature Switch; IP 40; 0,1 A (Gold clad); Bottom COM, SPDT; Hinge lever; 187 Quick connect terminal; 0,98 N; UL/CSA/VDE/SEMKO.	50
AM50012C53-	Panasonic Miniature Switch; IP 40; 0,1 A (Au clad); Bottom COM, SPDT; Hinge lever; 187 Quick connect terminal; 1,96 N; UL/CSA/VDE/SEMKO.	50
AM50012D43-	Panasonic Miniature Switch; IP 40; 0,1 A (Au clad); Bottom COM, SPDT; Hinge lever; 250 Quick connect terminal; 0,59N; UL/CSA/VDE/SEMKO	50
AM50013A53-	Panasonic Miniature Switch; IP40; 0,1A; Bottom COM, SPDT; Long hinge lever; Quick connect/solder terminal; OF=1,96N; UL/CSA/VDE/SEMKO	50
AM50013C33-	Panasonic Miniature Switch; IP 40; 0,1 A (Gold clad); Bottom COM, SPDT; Long Hinge lever; 187 Quick connect terminal; 0,49 N; UL/CSA/VDE/SEMKO	50
AM50013D43-	Panasonic Miniature Switch; IP 40; 0,1 A (Au clad); Bottom COM, SPDT; Long hinge lever; 250 Quick connect terminal; 0,29N; UL/CSA/VDE/SEMKO	50
AM50013D53-	Panasonic Miniature Switch; IP 40; 0,1 A (Au clad); Bottom COM, SPDT; Long hinge lever; 250 Quick connect terminal; 0,59N; UL/CSA/VDE/SEMKO	50
AM50013D5-	Panasonic Miniature Switch; IP 40; 0,1 A (Au clad); Bottom COM, SPDT; Long hinge lever; 250 Quick connect terminal; 0,59N	50
AM50014A33-	Panasonic Miniature Switch; IP 40; 0,1 A (Gold clad); Bottom COM, SPDT; Simulated roller lever; 187 Quick connect/solder terminal; 0,49 N; UL/CSA/VDE/SEMKO	50
AM50014A43-	Panasonic Miniature Switch; IP 40; 0,1 A (Gold clad); Bottom COM, SPDT; Simulated roller lever; 187 Quick connect/solder terminal; 0,98 N; UL/CSA/VDE/SEMKO	50
AM50014C33-	Panasonic Miniature Switch; IP 40; 0,1 A (Gold clad); Bottom COM, SPDT; Simulated roller lever; 187 Quick connect terminal; 0,49 N; UL/CSA/VDE/SEMKO	50
AM50014C43-	Panasonic Miniature Switch; IP 40; 0,1 A (Gold clad); Bottom COM, SPDT; Simulated roller lever; 187 Quick connect terminal; 0,98 N; UL/CSA/VDE/SEMKO	50
AM50015C43-	Panasonic Miniature Switch; IP 40; 0,1 A (Gold clad); Bottom COM, SPDT; Short roller lever; 187 Quick connect terminal; 0,98 N; UL/CSA/VDE/SEMKO.	50
AM50015C53-	Panasonic Miniature Switch; IP 40; 0,1 A (Gold clad); Bottom COM, SPDT; Short roller lever; 187 Quick connect terminal; 1,96 N; UL/CSA/VDE/SEMKO.	50
AM50016A53-	Panasonic Miniature Switch; IP 40; 0,1 A (Au clad); Bottom COM, SPDT; Roller lever; 187 Quick connect/Solder terminal; 1,96N; UL/CSA/VDE/SEMKO.	50
AM50016C33-	Panasonic Miniature Switch; IP 40; 0,1 A (Au clad); Bottom COM, SPDT; Roller lever; 187 Quick connect terminal; 0,98; UL/CSA/VDE/SEMKO.	50
AM50016C43-	Panasonic Miniature Switch; IP 40; 0,1 A (Au clad); Bottom COM, SPDT; Roller lever; 187 Quick connect terminal; 0,98; UL/CSA/VDE/SEMKO.	50
AM50016C53-	Panasonic Miniature Switch; IP 40; 0,1 A (Au clad); Bottom COM, SPDT; Roller lever; 187 Quick connect terminal; 1,96N; UL/CSA/VDE/SEMKO.	50
AM50020C43-	Panasonic Miniature Switch; IP 40; 0,1 A (Au clad); Bottom COM, SPST NC; Pin plunger; 187 Quick connect terminal; 0,98N; UL/CSA/VDE/SEMKO	100
AM50025C53-	Panasonic Miniature Switch; IP 40; 0,1 A (Gold clad); Bottom COM, SPST NC; Short roller lever; 187 Quick connect terminal; 1,96 N; UL/CSA/VDE/SEMKO	50
AM50030C33-	Panasonic Miniature Switch; IP 40; 0,1 A; Bottom COM, SPST NO; Pin plunger; 187 Quick connect terminal; 0,49N; UL/CSA/VDE/SEMKO	100
AM50030C53-	Panasonic Miniature Switch; IP 40; 0,1 A (Au clad); Bottom COM, SPST NO; Pin plunger; 187 Quick connect terminal; 1,96N; UL/CSA/VDE/SEMKO;	100
AM50034C53-	Panasonic Miniature Switch; IP 40; 0,1 A (Au clad); Bottom COM, SPST NO; Simulated Roller Lever; 187 Quick connect terminal; 1,96N; UL/CSA/VDE/SEMKO.	50
AM50035D53-	Panasonic Miniature Switch; IP 40; 0,1 A (Au clad); Bottom COM, SPST NO; Short roller lever; 250 Quick connect terminal; 2,16N; UL/CSA/VDE/SEMKO	50
AM50040C43-	Panasonic Miniature Switch; IP 40; 0,1 A (Au clad); Side COM, SPDT; Pin plunger; 187 Quick connect terminal; 0,98N; UL/CSA/VDE/SEMKO	100
AM50060C33-	Panasonic Miniature Switch; IP 40; 0,1 A (Gold clad); Side COM, SPST NO; Pin plunger; 187 Quick connect terminal; 0,49 N; UL/CSA/VDE/SEMKO.	100
AM50060C43-	Panasonic Miniature Switch; IP 40; 0,1 A (Gold clad); Side COM, SPST NO; Pin plunger; 187 Quick connect terminal; 0,98 N; UL/CSA/VDE/SEMKO.	100
AM50060C53-	Panasonic Miniature Switch; IP 40; 0,1 A (Gold clad); Side COM, SPST NO; Pin plunger; 187 Quick connect terminal; 1,96 N; UL/CSA/VDE/SEMKO.	100
AM50610A33-	Panasonic Miniature Switch; IP 40; 6 A; Bottom COM, SPDT; Pin plunger; 187 Quick connect/solder terminal; 0,49N; UL/CSA/VDE/SEMKO	100
AM50610C33-	Panasonic Miniature Switch; IP 40; 6 A; Bottom COM, SPDT; Pin plunger; 187 Quick connect terminal; 0,49N; UL/CSA/VDE/SEMKO	100
AM50610D33-	Panasonic Miniature Switch; IP 40; 6 A; Bottom COM, SPDT; Pin plunger; 250 Quick connect terminal; 0,49N; UL/CSA/VDE/SEMKO	50
AM50611C33-	Panasonic Miniature Switch; IP 40; 6 A; Bottom COM, SPDT; Pin plunger; 187 Quick connect terminal; 0,49N; UL/CSA/VDE/SEMKO	100
AM50612A33-	Panasonic Miniature Switch; IP 40; 6 A (Silver alloy); Bottom COM, SPDT; Hinge lever; 187 Quick connect/solder terminal; 0,49 N; UL/CSA/VDE/SEMKO	50
AM50612C33-	Panasonic Miniature Switch; IP 40; 6 A (Silver alloy); Bottom COM, SPDT; Hinge lever; 187 Quick connect terminal; 0,49 N; UL/CSA/VDE/SEMKO.	50
AM50612D33-	Panasonic Miniature Switch; 6 A (Silver alloy); Bottom COM, SPDT; Hinge lever; 250 Quick connect terminal; 0,49 N; UL/CSA/VDE/SEMKO	50
AM50613C33-	Panasonic Miniature Switch; IP 40; 6 A; Bottom COM, SPDT; Long hinge lever; 187 Quick connect terminal; 0,15N; UL/CSA/VDE/SEMKO	50
AM50613D33-	Panasonic Miniature Switch; IP 40; 6 A; Bottom COM, SPDT; Long hinge lever; 250 Quick connect terminal; 0,15N; UL/CSA/VDE/SEMKO	50
AM50614C33-	Panasonic Miniature Switch; IP 40; 6 A; Bottom COM, SPDT; Simulated roller lever; 187 Quick connect terminal; 0,49N; UL/CSA/VDE/SEMKO	50
AM50614C3F	Panasonic Miniature Switch; IP 40; 6 A Silver alloy; Bottom COM, SPDT; Simulated roller lever; 187 Quick connect terminal; 0,49N	50
AM50615A33-	Panasonic Miniature Switch; IP 40; 6 A; Bottom COM, SPDT; Short roller lever; 187 Quick connect/solder terminal; 0,59N; UL/CSA/VDE/SEMKO	50
AM50615C33-	Panasonic Miniature Switch; IP 40; 6 A; Bottom COM, SPDT; Short roller lever; 187 Quick connect terminal; 0,59N; UL/CSA/VDE/SEMKO	50
AM50616C33-	Panasonic Miniature Switch; 6 A (Silver alloy); Bottom COM, SPDT; Roller lever; 187 Quick connect terminal; 0,49 N; UL/CSA/VDE/SEMKO	50
AM50616D33-	Panasonic Miniature Switch; 6 A (Silver alloy); Bottom COM, SPDT; Roller lever; 250 Quick connect terminal; 0,49 N; UL/CSA/VDE/SEMKO	50
AM50625A33-	Panasonic Miniature Switch; IP 40; 6 A; Bottom COM, SPST NC; Short roller lever; 187 Quick connect/solder terminal; 0,59N; UL/CSA/VDE/SEMKO	50
AM50630A33-	Panasonic Miniature Switch; IP 40; 6 A; Bottom COM, SPST NO; Pin plunger; 187 Quick connect/solder terminal; 0,49N; UL/CSA/VDE/SEMKO.	100
AM50630D33-	Panasonic Miniature Switch; IP 40; 6 A; Bottom COM, SPST NO; Pin plunger; 250 Quick connect terminal; 0,49N; UL/CSA/VDE/SEMKO	50
AM50632C33-	Panasonic Miniature Switch; IP 40; 6 A; Bottom COM, SPST NO; Hinge lever; 187 Quick connect terminal; 0,49N; UL/CSA/VDE/SEMKO	50
AM50633C33-	Panasonic Miniature Switch; IP 40; 6 A; Bottom COM, SPST NO; Long hinge lever; 187 Quick connect terminal; 0,49N; UL/CSA/VDE/SEMKO	50
AM50640C33-	Panasonic Miniature Switch; IP 40; 6 A; Side COM, SPDT; Pin plunger; 187 Quick connect terminal; 0,49N; UL/CSA/VDE/SEMKO	100
AM50640D33-	Panasonic Miniature Switch; IP 40; 6 A; Side COM, SPDT; Pin plunger; 187 Quick connect terminal; 0,49N; UL/CSA/VDE/SEMKO	50
AM50641C33-	Panasonic Miniature Switch; IP 40; 6 A; Side COM, SPDT; Short hinge lever; 187 Quick connect terminal; 0,49N; UL/CSA/VDE/SEMKO	50
AM50642C33-	Panasonic Miniature Switch; IP 40; 6 A; Side COM, SPDT; Hinge lever; 187 Quick connect terminal; 0,29N; UL/CSA/VDE/SEMKO	50
AM50642D33-	Panasonic Miniature Switch; IP 40; 6 A (Silver alloy); Side COM, SPDT; Hinge lever; 250 Quick connect terminal; 0,49 N; UL/CSA/VDE/SEMKO.	50
AM50644C33-	Panasonic Miniature Switch; IP 40; 6 A; Side COM, SPDT; Simulated roller lever; 187 Quick connect terminal; 0,29N; UL/CSA/VDE/SEMKO	50
AM50645C33-	Panasonic Miniature Switch; IP 40; 6 A; Side COM, SPDT; Short roller lever; 187 Quick connect terminal; 0,59N; UL/CSA/VDE/SEMKO	50
AM50646C33-	Panasonic Miniature Switch; IP 40; 6 A (Silver alloy); Side COM, SPDT; Roller lever; 187 Quick connect terminal; 0,49 N; UL/CSA/VDE/SEMKO	50
AM50646D33-	Panasonic Miniature Switch; IP 40; 6 A (Silver alloy); Side COM, SPDT; Roller lever; 250 Quick connect terminal; 0,49 N; UL/CSA/VDE/SEMKO	50
AM50656A33-	Panasonic Miniature Switch; IP 40; 6 A (Silver alloy); Side COM, SPST NC; Roller lever; 187 Quick connect/Solder terminal; 0,49 N; UL/CSA/VDE/SEMKO	50
AM50661C33-	Panasonic Miniature Switch; IP 40; 6 A; Side COM, SPDT; Pin plunger; 187 Quick connect terminal; 0,49N; UL/CSA/VDE/SEMKO	50
AM51110A43	Panasonic Miniature Switch; 11 A; Bottom COM, SPDT; Pin plunger; 187 Quick connect/Solder terminal; 0,98 N; UL/CSA/VDE/SEMKO; Cadmium free	100
AM51110C43	Panasonic Miniature Switch; 11 A; Bottom COM, SPDT; Pin plunger; 187 Quick connect terminal; 0,98 N; UL/CSA/VDE/SEMKO; Cadmium free	100
AM51110D43	Panasonic Miniature Switch; IP 40; 11 A; Bottom COM, SPDT; Pin plunger; 250 Quick connect terminal; 0,98N; UL/CSA/VDE/SEMKO; Cadmium free	50
AM51111D43	Panasonic Miniature Switch; 11 A (Silver alloy); Bottom COM, SPDT; Short hinge lever; 250 Quick connect terminal; 0,98 N; UL/CSA/VDE/SEMKO; Cadmium free	50
AM51112C43	Panasonic Miniature Switch; 11 A; Bottom COM, SPDT; Hinge lever; 187 Quick connect/solder terminal; 0,98 N; UL/CSA/VDE/SEMKO; Cadmium free	50
AM51112D43	Panasonic Miniature Switch; IP 40; 11 A; Bottom COM, SPDT; Hinge lever; 250 Quick connect terminal; 0,98 N; UL/CSA/VDE/SEMKO; Cadmium free	50
AM51113C43	Panasonic Miniature Switch; IP 40; 11 A; Bottom COM, SPDT; Long hinge lever; 187 Quick connect terminal; 0,29N; UL/CSA/VDE/SEMKO	50
AM51113D43	Panasonic Miniature Switch; IP 40; 11 A; Bottom COM, SPDT; Long hinge lever; 250 Quick connect terminal; 0,29N; UL/CSA/VDE/SEMKO; Cadmium free	50
AM51114C43	Panasonic Miniature Switch; IP 40; 11 A; Bottom COM, SPDT; Simulated roller lever; 187 Quick connect terminal; 0,98N; UL/CSA/VDE/SEMKO; Cadmium free	50
AM51114D43	Panasonic Miniature Switch; Silver alloy; Bottom COM, SPDT; Hinge lever; 250 Quick connect terminal; 3,92 N; UL/CSA 6x10 ³ rated, VDE and SEMKO approved	50
AM51115C43	Panasonic Miniature Switch; IP 40; 11 A; Bottom COM, SPDT; Short roller lever; 187 Quick connect terminal; 0,98N; UL/CSA/VDE/SEMKO; Cadmium free	50
AM51115D43	Panasonic Miniature Switch; 11A; Bottom COM, SPDT; Short roller lever; 250 Quick connect terminal; 0,98 N; UL/CSA/VDE/SEMKO; Cadmium free	50
AM51116C43	Panasonic Miniature Switch; IP 40; 11 A; Bottom COM, SPDT; Roller lever; 187 Quick connect terminal; 0,98N; UL/CSA/VDE/SEMKO; Cadmium free	50

AM51116D43	Panasonic Miniature Switch; IP 40; 11 A; Bottom COM, SPDT; Roller lever; 250 Quick connect terminal; 0,59N; UL/CSA/VDE/SEMKO; Cadmium free	50
AM51122A43	Panasonic Miniature Switch; IP 40; 11 A; Bottom COM, SPST NC; Hinge lever; 187 Quick connect/solder terminal; 0,59N, UL/CSA/VDE/SEMKO; Cadmiu	50
AM51130D43	Panasonic Miniature Switch; IP 40; 11 A; Bottom COM, SPST NO; Pin plunger; 250 Quick connect terminal; 0,98 N; UL/CSA/VDE/SEMKO; Cadmium free	50
AM51132C43	Panasonic Miniature Switch; 11 A; Bottom COM, SPST NO; Hinge lever; 187 Quick connect terminal; 0,59 N; UL/CSA/VDE/SEMKO; Cadmium free	50
AM51140C43	Panasonic Miniature Switch; 11 A; Side COM, SPDT; Pin plunger; 187 Quick connect terminal; 0,98 N; UL/CSA VDE/SEMKO; Cadmium free	100
AM51145C43	Panasonic Miniature Switch; 11 A; Side COM, SPDT; Short roller lever; 187 Quick connect terminal; 0,98 N; UL/CSA VDE/SEMKO; Cadmium free	50
AM51161C43	Panasonic Miniature Switch; 11 A; Side COM, SPST NO; Short hinge lever; 187 Quick connect terminal; 0,98 N; UL/CSA/ VDE/SEMKO; Cadmium free	50
AM51610A53	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Pin plunger; 187 Quick connect/solder terminal; 1,96N; UL/CSA/VDE/SEMKO; Cadmium f	100
AM51610A73	Panasonic Miniature Switch; IP 40; 6 A; Side COM, SPDT; Pin plunger; 187 Quick connect terminal; 0,49N; UL/CSA/VDE/SEMKO	100
AM51610C53	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Pin plunger; 187 Quick connect terminal; 1,96N; UL/CSA/VDE/SEMKO; Cadmium free	100
AM51610C73	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Pin plunger; 187 Quick connect terminal; 3,92N; UL/CSA/VDE/SEMKO; Cadmium free	100
AM51610C83	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Pin plunger; 187 Quick connect; 1,96N; UL/CSA/VDE/SEMKO; Cadmium free	100
AM51610D53	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Pin plunger; 250 Quick connect terminal; 1,96N; UL/CSA/VDE/SEMKO; Cadmium free	50
AM51610D63	Panasonic Miniature Switch; 16 A (Silver alloy); Bottom COM, SPDT; Pin plunger; 250 Quick connect terminal; 2,94 N; UL/CSA/VDE/SEMKO approved; (50
AM51610D73	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Pin plunger; 250 Quick connect terminal; UL/CSA/VDE/SEMKO; Cadmium free	50
AM51610D83	Panasonic Miniature Switch; IP 40; 16 A (Silver alloy); Bottom COM, SPDT; Pin plunger; 250 Quick connect terminal; UL/CSA/VDE/SEMKO; Cadmium fr	50
AM51611C53	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Short hinge lever; 187 Quick connect terminal; 1,96 N; UL/CSA/VDE/SEMKO; Cadmium fr	50
AM51611C5F	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Short hinge lever; 187 Quick connect terminal; 1,96 N; UL/CSA/VDE/SEMKO; Cadmium fr	50
AM51611C63	Panasonic Miniature Switch; IP40; 16A; Bottom COM; SPDT; Short hinge lever; Quick connect terminal; OF=2,94N; UL/c UL, ENEC/VDE	50
AM51611C73	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Short hinge lever; 187 Quick connect terminal; 4,12N; UL/CSA/VDE/SEMKO; Cadmium fr	50
AM51611D53	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Short hinge lever; 250 Quick connect terminal; 1,96N; UL/CSA/VDE/SEMKO; Cadmium fr	50
AM51611D73	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Short hinge lever; 250 Quick connect terminal; 4,12N; UL/CSA/VDE/SEMKO; Cadmium fr	50
AM51612C53	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Hinge lever; 187 Quick connect terminal; 1,18N; UL/CSA/VDE/SEMKO; Cadmium free	50
AM51612C63	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Hinge lever; 187 Quick connect terminal; 1,77N; UL/CSA/VDE/SEMKO	50
AM51612C73	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Hinge lever; 187 Quick connect terminal; 2,35N; UL/CSA/VDE/SEMKO; Cadmium free	50
AM51612C83	Panasonic Miniature Switch; IP 40; 16 A (Silver alloy); Bottom COM, SPDT; Hinge lever; 187 Quick connect terminal; UL/CSA/VDE/SEMKO; Cadmium fr	50
AM51612D53	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Hinge lever; 250 Quick connect terminal; 1,18N; UL/CSA/VDE/SEMKO; Cadmium free	50
AM51612D73	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Hinge lever; 250 Quick connect terminal; 2,35N; UL/CSA/VDE/SEMKO; Cadmium free	50
AM51613A53	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Long hinge lever; 187 Quick connect/solder terminal; 1,96 N; UL/CSA/VDE/SEMKO; Cadn	50
AM51613C53	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Long hinge lever; 187 Quick connect terminal; 0,59N; UL/CSA/VDE/SEMKO; Cadmium fre	50
AM51613C73	Panasonic Miniature Switch; IP 40; 6 A; Side COM, SPDT; Pin plunger; 187 Quick connect terminal; 0,49N; UL/CSA/VDE/SEMKO	50
AM51613D53	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Long hinge lever; 250 Quick connect terminal; 0,59N; UL/CSA/VDE/SEMKO; Cadmium fre	50
AM51613D63	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Long hinge lever; 250 Quick connect terminal; 0,88N; UL/CSA/VDE/SEMKO; Cadmium fre	50
AM51613D73	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Long hinge lever; 250 Quick connect terminal; 1,18N; UL/CSA/VDE/SEMKO; Cadmium fre	50
AM51614C53	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Simulated roller lever; 187 Quick connect terminal; 1,18N; UL/CSA/VDE/SEMKO; Cadmiu	50
AM51614C73	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Simulated roller lever; 187 Quick connect terminal; 2,35N; UL/CSA/VDE/SEMKO; Cadmiu	50
AM51614D53	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Simulated roller lever; 250 Quick connect terminal; 1,18N; UL/CSA/VDE/SEMKO; Cadmiu	50
AM51615A53	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Short roller lever; 187 Quick connect/solder terminal; 2,16N; UL/CSA/VDE/SEMKO; Cadm	50
AM51615C53	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Short roller lever; 187 Quick connect terminal; 2,16N; UL/CSA/VDE/SEMKO; Cadmium fre	50
AM51615C63	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Short roller lever; 187 Quick connect terminal; 2,16N; UL/CSA/VDE/SEMKO; Cadmium fre	50
AM51615C73	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Short roller lever; 187 Quick connect terminal; 4,12N; UL/CSA/VDE/SEMKO; Cadmium fre	50
AM51615C83	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Short roller lever; 187 Quick connect; 1,96N; UL/CSA/VDE/SEMKO; Cadmium free	50
AM51615D53	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Short roller lever; 250 Quick connect terminal; 1,96N; UL/CSA/VDE/SEMKO; Cadmium fre	50
AM51615D73	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Short roller lever; 250 Quick connect terminal; 3,92N; UL/CSA/VDE/SEMKO; Cadmium fre	50
AM51615D83	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Short roller lever; 250 Quick connect terminal; UL/CSA/VDE/SEMKO; Cadmium free	50
AM51616A53	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Roller lever; 187 Quick connect/solder terminal; 1,18N; UL/CSA/VDE/SEMKO; Cadmium f	50
AM51616C53	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Roller lever; 187 Quick connect terminal; UL/CSA/VDE/SEMKO; Cadmium free	50
AM51616C73	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Roller lever; 187 Quick connect terminal; 3,92N; UL/CSA/VDE/SEMKO; Cadmium free	50
AM51616D53	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Roller lever; 250 Quick connect terminal; 1,18N; Cadmium free	50
AM51616D63	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Roller lever; 250 Quick connect terminal; 1,77N; UL/CSA/VDE/SEMKO; Cadmium free	50
AM51616D73	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Roller lever; 250 Quick connect terminal; 3,92N; UL/c UL rated, ENEC/VDE approved	50
AM51620D53	Panasonic Miniature Switch; IP 40; 6 A; Side COM, SPDT; Pin plunger; 187 Quick connect terminal; 0,49N; UL/CSA/VDE/SEMKO	50
AM51620D73	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPST NC; Pin plunger; 250 Quick connect terminal; 3,92N; UL/CSA/VDE/SEMKO; Cadmium free	50
AM51623D53	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPDT; Long Hinge Lever; 187 Quick connect terminal; 0,59N; UL/CSA/VDE/SEMKO	50
AM51625C53	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPST NC; Short roller lever; 187 Quick connect terminal; 1,96N; UL/CSA/VDE/SEMKO; Cadmium	50
AM51625C63	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPST NC; Short roller lever; 187 Quick connect terminal; 2,94N; UL/CSA/VDE/SEMKO; Cadmium	50
AM51630A53	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPST NO; Pin plunger; 187 Quick connect/solder terminal; 1,96N; UL/CSA/VDE/SEMKO; Cadmiu	100
AM51630C53	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPST NO; Pin plunger; 187 Quick connect terminal; 1,96N; UL/CSA/VDE/SEMKO; Cadmium free	100
AM51630C73	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPST NO; Pin plunger; 187 Quick connect terminal; 3,92N; UL/CSA/VDE/SEMKO; Cadmium free	100
AM51630D53	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPST NO; Pin plunger; 250 Quick connect terminal; 1,96N; UL/CSA/VDE/SEMKO; Cadmium free	50
AM51623D63	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPST NO; Pin plunger; 250 Quick connect terminal; 2,94; UL/CSA/VDE/SEMKO; Cadmium free	50
AM51630D73	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPST NO; Pin plunger; 250 Quick connect terminal; 3,92N; UL/CSA/VDE/SEMKO; Cadmium free	50
AM51631D73	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPST NO; Short hinge lever; 250 Quick connect terminal; 4,12N; UL/CSA/VDE/SEMKO; Cadmiu	50
AM51632D63	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPST NO; Hinge lever; 250 Quick connect terminal; 1,77N; UL/CSA/VDE/SEMKO; Cadmium free	50
AM51632D73	Panasonic Miniature Switch; IP 40; 16 A; Bottom COM, SPST NO; Hinge lever; 250 Quick connect terminal; 2,35N; UL/CSA/VDE/SEMKO; Cadmium free	50
AM51636A53	Panasonic Miniature Switch; IP 40; 16 A (Silver alloy); Bottom COM, SPST NO; Roller lever; 187 Quick connect/Solder terminal; 1,96N; UL/c UL rated EI	50
AM51636C53	Panasonic Miniature Switch; IP 40; 16 A (Silver alloy); Bottom COM, SPST NO; Roller lever; 187 Quick connect terminal; 1,96N; UL/c UL rated ENEC/VI	50
AM51640A83	Panasonic Miniature Switch; IP 40; 16 A (Silver alloy); Side COM, SPDT; Pin plunger; 187 Quick connect/solder terminal; UL/CSA/VDE/SEMKO; Cadmiu	100
AM51640C53	Panasonic Miniature Switch; IP 40; 16 A; Side COM, SPDT; Pin plunger; 187 Quick connect terminal; 1,96N; UL/CSA/VDE/SEMKO; Cadmium free	100
AM51640C73	Panasonic Miniature Switch; IP 40; 6 A; Side COM, SPDT; Pin plunger; 187 Quick connect terminal; 0,49N; UL/CSA/VDE/SEMKO	100
AM51640C83	Panasonic Miniature Switch; IP 40; 16 A (Silver alloy); Side COM, SPDT; Pin plunger; 187 Quick connect terminal; UL/CSA/VDE/SEMKO; Cadmium free	100
AM51641C53	Panasonic Miniature Switch; IP 40; 16 A; Side COM, SPDT; Short hinge lever; 187 Quick connect terminal; 1,96N; UL/CSA/VDE/SEMKO; Cadmium free	50
AM51641C5F	Panasonic Miniature Switch; IP 40; 16 A; Side COM, SPDT; Short hinge lever; 187 Quick connect terminal; 1,96N; UL/CSA/VDE/SEMKO; Cadmium free	50

AM51641D63	Panasonic Miniature Switch; IP 40; 16 A; Side COM, SPDT; Short hinge lever; 187 Quick connect terminal; 2,94N; UL/CSA/VDE/SEMKO; Cadmium free	50
AM51642C73	Panasonic Miniature Switch; IP 40; 6 A; Side COM, SPDT; Pin plunger; 187 Quick connect terminal; 0,49N; UL/CSA/VDE/SEMKO	50
AM51642D73	Panasonic Miniature Switch; 16 A (Silver alloy); Side COM, SPDT; Hinge lever; 250 Quick connect terminal; 3,92 N; UL/CSA/VDE/SEMKO; Cadmium free	50
AM51643C73	Panasonic Miniature Switch; 16 A (Silver alloy); Side COM, SPDT; Long hinge lever; 187 Quick connect terminal; 3,92 N; UL/CSA VDE and SEMKO; Cac	50
AM51644C53	Panasonic Miniature Switch; 16 A (Silver alloy); Side COM, SPDT; Simulated roller lever; 187 Quick connect terminal; 1,96 N; UL/CSA VDE and SEMKO;	50
AM51644C73	Panasonic Miniature Switch; 16 A (Silver alloy); Side COM, SPDT; Simulated roller lever; 187 Quick connect terminal; 3,92 N; UL/CSA/VDE/SEMKO; Cac	50
AM51645A83	Panasonic Miniature Switch; IP 40; 16 A (Silver alloy); Side COM, SPDT; Short roller lever; 187 Quick connect/solder terminal; UL/CSA/VDE/SEMKO; Ca	50
AM51645C53	Panasonic Miniature Switch; IP 40; 16 A (Silver alloy); Side COM, SPDT; Short roller lever; 187 Quick connect/solder terminal; 1,96 N; UL/CSA/VDE/SEM	50
AM51645D53	Panasonic Miniature Switch; IP 40; 6 A; Side COM, SPDT; Pin plunger; 187 Quick connect terminal; 0,49N; UL/CSA/VDE/SEMKO	50
AM51646C53	Panasonic Miniature Switch; 16 A (Silver alloy); Side COM, SPDT; Roller lever; 187 Quick connect terminal; 1,96 N; UL/CSA VDE and SEMKO; Cadmiun	50
AM51646C73	Panasonic Miniature Switch; 16A (Silver alloy); Side COM, SPDT; Roller lever; 187 Quick connect terminal; 3,92 N; UL/CSA, VDE and SEMKO; Cadmiun	50
AM51660C53	Panasonic Miniature Switch; IP 40; 6 A; Side COM, SPDT; Pin plunger; 187 Quick connect terminal; 0,49N; UL/CSA/VDE/SEMKO	100
AM51661C53	Panasonic Miniature Switch; IP 40; 6 A; Side COM, SPDT; Pin plunger; 187 Quick connect terminal; 0,49N; UL/CSA/VDE/SEMKO	50
AM51661C63	Panasonic Miniature Switch; IP 40; 6 A; Side COM, SPDT; Pin plunger; 187 Quick connect terminal; 0,49N; UL/CSA/VDE/SEMKO	50
AM51661C73	Panasonic Miniature Switch; IP 40; 6 A; Side COM, SPDT; Pin plunger; 187 Quick connect terminal; 0,49N; UL/CSA/VDE/SEMKO	50
ASQ10220	Panasonic Ultraminiature Switch; IP 67; 3mm mounting hole; Wire leads right side type; SPST NC, Pin plunger	100
ASQ10227	Panasonic Ultraminiature Switch; IP 67; 3mm mounting hole; Wire leads right side type; SPST NC, Leaf lever	100
ASQ10228	Panasonic Ultraminiature Switch; IP 67; 3mm mounting hole; Wire leads right side type; Wire leads right side type; SPST NC; Simulated leaf lever	100
ASQ10230	Panasonic Ultraminiature Switch; IP 67; 3mm mounting hole; Wire leads right side type; SPST NO; Pin plunger	100
ASQ10237	Panasonic Ultraminiature Switch; IP 67; 3mm mounting hole; Wire leads right side type; SPST NO; Leaf lever	100
ASQ10238	Panasonic Ultraminiature Switch; IP 67; 3mm mounting hole; Wire leads right side type; SPST NO; Simulated leaf lever	100
ASQ10320	Panasonic Ultraminiature Switch; IP 67; 3mm mounting hole; Wire leads left side type; SPST NC; Pin plunger	100
ASQ10327	Panasonic Ultraminiature Switch; IP 67; 3mm mounting hole; Wire leads left side type; SPST NC, Leaf lever	100
ASQ10328	Panasonic Ultraminiature Switch; IP 67; 3mm standard type; Wire leads left side type; SPST NC, Simulated leaf lever	100
ASQ10330	Panasonic Ultraminiature Switch; IP 67; 3mm standard type; Wire leads left side type; SPST NO; Pin plunger	100
ASQ10337	Panasonic Ultraminiature Switch; IP 67; 3mm standard type; Wire leads left side type; SPST NO; Leaf lever	100
ASQ10338	Panasonic Ultraminiature Switch; IP 67; 3mm mounting hole; Wire leads left side type; SPST NO; Simulated leaf lever	100
ASQ10410	Panasonic Ultraminiature Switch; IP 67; 3mm mounting hole; Solder terminal type; SPDT; Pin plunger	100
ASQ10417	Panasonic Ultraminiature Switch; IP 67; 3mm mounting hole; Solder terminal type; SPDT; Leaf lever	100
ASQ10418	Panasonic Ultraminiature Switch; IP 67; 3mm mounting hole; Solder terminal type; SPDT; Simulated leaf lever	100
ASQ10610	Panasonic Ultraminiature Switch; IP 67; 3mm mounting hole; Wire leads bottom type; SPDT; Pin plunger	100
ASQ10617	Panasonic Ultraminiature Switch; IP 67; 3mm mounting hole; Wire leads bottom type; SPDT; Leaf lever	100
ASQ10618	Panasonic Ultraminiature Switch; IP 67; 3mm mounting hole; Wire leads bottom type; SPDT; Simulated leaf lever	100
ASQ10620	Panasonic Ultraminiature Switch; IP 67; 3mm mounting hole; Wire leads bottom type; SPST NC; Pin plunger	100
ASQ10627	Panasonic Ultraminiature Switch; IP 67; 3mm mounting hole; Wire leads bottom type; SPST NC; Leaf lever	100
ASQ10628	Panasonic Turquoise stroke switch	100
ASQ10630	Panasonic Turquoise stroke switch	100
ASQ10637	Panasonic Ultraminiature Switch; IP 67; 3mm mounting hole; Wire leads bottom type; SPST NO; Leaf lever	200
ASQ10638	Panasonic Ultraminiature Switch; IP 67; 3mm mounting hole; Wire leads bottom type; SPST NO; Simulated leaf lever	200
ASQ10710	Panasonic Ultraminiature Switch; IP 67; 3mm mounting hole; PC right angle terminal; SPDT; pin plunger	100
ASQ10717	Panasonic Ultraminiature Switch; IP 67; 3mm mounting hole; PC right angle terminal; SPDT; leaf lever	100
ASQ10718	Panasonic Ultraminiature Switch; IP 67; 3mm mounting hole; PC right angle terminal; SPDT; simulated leaf lever	100
ASQ10810	Panasonic Ultraminiature Switch; IP 67; 3mm mounting hole; PC left angle terminal; SPDT; Pin plunger	100
ASQ10817	Panasonic Ultraminiature Switch; IP 67; 3mm mounting hole; PC left angle terminal; SPDT; Leaf lever	100
ASQ10818	Panasonic Ultraminiature Switch; IP 67; 3mm mounting hole; PC left angle terminal; SPDT; Simulated leaf lever	100
ASQ11510	Panasonic Ultraminiature Switch; IP 67; 3mm mounting hole; without boss; PC board terminal; SPDT; Pin plunger	100
ASQ11517	Panasonic Ultraminiature Switch; IP 67; 3mm mounting hole; without boss; PC board terminal; SPDT; Leaf lever	100
ASQ11518	Panasonic Ultraminiature Switch; IP 67; 3mm mounting hole; without boss; PC board terminal; SPDT; Simulated leaf lever	100
ASQ14410	Panasonic Ultraminiature Switch; Right side pin type; Solder terminal; SPDT; Pin plunger	100
ASQ14417	Panasonic Ultraminiature Switch; Right side pin type; Solder terminal; SPDT; Leaf lever	100
ASQ14418	Panasonic Ultraminiature Switch; Right side pin type; Solder terminal; SPDT; Simulated leaf lever	100
ASQ15410	Panasonic Ultraminiature Switch; Left side pin type; Solder terminal; SPDT; Pin plunger	100
ASQ15417	Panasonic Ultraminiature Switch; Left side pin type; Solder terminal; SPDT; Leaf lever	100
ASQ15418	Panasonic Ultraminiature Switch; Left side pin type; Solder terminal; SPDT; Simulated leaf lever	100
ASQ16410	Panasonic Ultraminiature Switch; IP 67; Right 2 boss type; Solder terminal; SPDT; Pin plunger	100
ASQ16417	Panasonic Ultraminiature Switch; IP 67; Right 2 boss type; Solder terminal; SPDT; Leaf lever	100
ASQ16418	Panasonic Ultraminiature Switch; Right 2 boss type; Solder terminal; SPDT; Simulated leaf lever	100
ASQ17410	Panasonic Ultraminiature Switch; IP 67; Left 2 boss type; Solder terminal type; SPDT; Pin plunger	100
ASQ17417	Panasonic Ultraminiature Switch; Left 2 boss type; Solder terminal; SPDT; Leaf lever	100
ASQ17418	Panasonic Ultraminiature Switch; Left 2 boss type; Solder terminal; SPDT; Simulated leaf lever	100
ASQ19126	Panasonic ASQ turquoise stroke switch, special type for Panasonic Automotive Systems Europe GmbH	200
ASQM11620	Panasonic Subminiature long stroke sealed switch series ASQM1; IP67; Without boss type; Wire leads type; SPST NC; Pin Plunger	120
ASQM11628	Panasonic Subminiature long stroke sealed switch series ASQM1; IP67; Without boss type; Wire leads type; SPST NC; Simulated roller lever	120
ASQM11630	Panasonic Subminiature long stroke sealed switch series ASQM1; IP67; Without boss type; Wire leads type; SPST NO; Pin Plunger	120
ASQM11638	Panasonic Subminiature long stroke sealed switch series ASQM1; IP67; Without boss type; Wire leads type; SPST NO; Simulated roller lever	120
ASQM16420	Panasonic Subminiature long stroke sealed switch series ASQM1; IP67; Right 2 boss type; Straight solder Terminal; SPST NC; Pin Plunger	100
ASQM16428	Panasonic Subminiature long stroke sealed switch series ASQM1; IP67; Right 2 boss type; Straight solder Terminal; SPST NC; Simulated roller lever	100
ASQM16430	Panasonic Subminiature long stroke sealed switch series ASQM1; IP67; Right 2 boss type; Straight solder Terminal; SPST NO; Pin Plunger	100
ASQM16438	Panasonic Subminiature long stroke sealed switch series ASQM1; IP67; Right 2 boss type; Straight solder Terminal; SPST NO; Simulated roller lever	100
ASQM17420	Panasonic Subminiature long stroke sealed switch series ASQM1; IP67; Left 2 boss type; Straight solder Terminal; SPST NC; Pin Plunger	100
ASQM17428	Panasonic Subminiature long stroke sealed switch series ASQM1; IP67; Left 2 boss type; Straight solder Terminal; SPST NC; Simulated roller lever	100
ASQM17430	Panasonic Subminiature long stroke sealed switch series ASQM1; IP67; Left 2 boss type; Straight solder Terminal; SPST NO; Pin Plunger	100
ASQM17438	Panasonic Subminiature long stroke sealed switch series ASQM1; IP67; Left 2 boss type; Straight solder Terminal; SPST NO; Simulated roller lever	100

AV11753F	Panasonic Interlock Switch; 3 Form A contacts (contact gap: 8mm); 10.1A; Snap in mounting type; UL/CSA/VDE (ENEC)	100
AV11853F	Panasonic Interlock Switch; 3 Form A contacts (contact gap: 8mm); 10.1A; Snap in mounting type with button guard; UL/CSA/VDE (ENEC); Cadmium free	100
AV12753F	Panasonic Interlock Switch; 2 Form A (contact gap: 8 mm); Snap in mounting type (10.1 A); UL/CSA/VDE; Cadmium free	50
AV12853F	Panasonic Interlock Switch; 2 Form A (contact gap: 8 mm); Snap in mounting type with button guard (10.1 A); UL/CSA/VDE; Cadmium free	50
AV13653F	Panasonic Interlock Switch; 2 Form A (contact gap: 8 mm); Screw mounting (10.1 A); UL/CSA/VDE; Cadmium free	100
AV14653F	Panasonic Interlock Switch; 1 Form A 1 Form B; Screw mounting (10.1 A); UL/CSA/VDE; Cadmium free	100
AV15653F	Panasonic Interlock Switch; 1 Form B; Screw mounting (10.1 A); UL/CSA/VDE; Cadmium free	100
AV16653F	Panasonic Interlock Switch; 1 Form A; Screw mounting (10.1 A); UL/CSA/VDE; Cadmium free	100
AV31023-A	Panasonic Subminiature Switch; FS Standard; IP 40; Solder terminal with guard; Pin plunger; 0.49 N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AV31043-A	Panasonic Subminiature Switch; FS Standard; IP 40; Solder terminal with guard; Pin plunger; 0.98 N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AV31243-A	Panasonic Subminiature Switch; FS Standard; IP 40; Solder terminal with guard; Hinge lever; 0.98 N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AV3132613-A	Panasonic Subminiature Switch; FS Standard; IP 40; Solder terminal with guard; Long hinge lever; 0.49 N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AV3134613-A	Panasonic Subminiature Switch; FS Standard; IP 40; Solder terminal with guard; Long hinge lever; 0.98 N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AV31543-A	Panasonic Subminiature Switch; FS Standard; IP 40; Solder terminal with guard; Roller lever; 0.98N; Silver alloy; UL/CSA/VDE/SEMKO	100
AV32023-A	Panasonic Subminiature Switch; FS Standard; IP 40; Solder terminal without guard; Pin plunger; 0.49N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AV32043-A	Panasonic Subminiature Switch; FS Standard; IP 40; Solder terminal with guard; Roller lever; 0.98N; Silver alloy; UL/CSA/VDE/SEMKO	100
AV3212613-A	Panasonic Subminiature Switch; FS Standard; IP 40; Solder terminal without guard; Short hinge lever; 0.49; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AV321411613-A	Panasonic Subminiature Switch; FS Standard; IP 40; Solder terminal without guard; Short hinge lever; 0.98N; forward; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AV32143-A	Panasonic Subminiature Switch; FS Standard; IP 40; Solder terminal without guard; Short hinge lever; 0.98N; Silver alloy; UL/CSA/VDE/SEMKO	100
AV3214613-A	Panasonic Subminiature Switch; FS Standard; IP 40; Solder terminal without guard; Short hinge lever; 0.98 N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AV32223-A	Panasonic Subminiature Switch; IP 40; Solder terminal without guard; Hinge lever; 0.49N; Silver alloy; UL/CSA/VDE/SEMKO	100
AV322261	Panasonic Subminiature Switch; FS Standard; Solder terminal without guard; Hinge lever; 0.49 N; Gold clad triple layer	100
AV3232613-A	Panasonic Subminiature Switch; FS Standard; IP 40; Solder terminal without guard; Long hinge lever; 0.49 N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AV32343-A	Panasonic Subminiature Switch; FS Standard; IP 40; Solder terminal without guard; Long hinge lever; 0.98 N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AV32423-A	Panasonic Subminiature Switch; FS Standard; IP 40; Solder terminal without guard; Long hinge lever; 0.98 N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AV32523-A	Panasonic Subminiature Switch; FS Standard; IP 40; Solder terminal without guard; Long hinge lever; 0.98 N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AV3252613	Panasonic Subminiature Switch; IP 40; Solder terminal; Roller lever; 0.20N; Au clad triple layer; UL/CSA/VDE/SEMKO	100
AV3254113-A	Panasonic Subminiature Switch; FS Standard; IP 40; Solder terminal without guard; Roller lever; 0.98 N; forward; UL/CSA/VDE/SEMKO	100
AV32543-A	Panasonic Subminiature Switch; FS Standard; IP 40; Solder terminal without guard; Roller lever; 0.98 N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AV3254613-A	Panasonic Subminiature Switch; FS Standard; IP 40; Solder terminal without guard; Roller lever; 0.98N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AV33043-A	Panasonic Subminiature Switch; FS Standard; IP 40; Solder terminal with opposite side guard; Pin plunger; 0.98N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AV3402613-A	Panasonic Subminiature Switch; FS Standard; IP 40; Self standing PC terminal; Pin plunger; 0.49N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AV34043-A	Panasonic Subminiature Switch; FS Standard; IP 40; Self standing PC terminal; Pin plunger; 0.98N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AV3405G3-A	Panasonic Subminiature switch; FS; Standard; IP40; self standing PC terminal; pin plunger; 1.47N; contact gap > 1mm; UL/CSA/VDE/SEMKO	100
AV3412613-A	Panasonic Subminiature Switch; Standard; Self standing PC terminal; Short hinge lever; 0.49 N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AV34243-A	Panasonic Subminiature Switch; FS Standard; IP 40; Self standing PC terminal; Hinge lever; 0.98N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AV34323-A	Panasonic Subminiature Switch; FS Standard; IP 40; Self standing PC terminal; Long hinge lever; 0.49N; UL/CSA/VDE/SEMKO	100
AV343411613-A	Panasonic Subminiature Switch; FS Standard; IP 40; Self standing PC terminal; Long hinge lever; 0.98N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AV34343-A	Panasonic Subminiature switch; FS Standard; IP40, self standing PC terminal; long hinge lever; 0.98N; SPDT; UL/CSA/VDE/SEMKO	100
AV3434613-A	Panasonic Subminiature Switch; FS Standard; IP 40; Self standing PC terminal; Long hinge lever; 0.98N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AV3434613-A	Panasonic Subminiature Switch; FS Standard; IP 40; Self standing PC terminal; Long hinge lever; 0.98N; Gold clad triple layer	100
AV34443-A	Panasonic Subminiature Switch; FS Standard; IP 40; Self standing PC terminal; Simulated roller lever; 0.98N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AV3444613-A	Panasonic Subminiature Switch; FS Standard; IP 40; Self standing PC terminal; Simulated roller lever; 0.98N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AV3444643-A	Panasonic Subminiature Switch; FS Standard; IP 40; Self standing PC terminal; Simulated roller lever; 0.98N; Gold clad double layer; UL/CSA/VDE/SEM	100
AV3502613-A	Panasonic Subminiature Switch; FS Standard; IP 40; PC terminal; Pin plunger; 0.49N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AV3602613-A	Panasonic Subminiature Switch; FS Standard; IP 40; Right angle terminal; Pin plunger; 0.49N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AV3614613-A	Panasonic Subminiature Switch; FS Standard; IP 40; Right angle terminal; Short hinge lever; 0.98N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AV3622613-A	Panasonic Subminiature Switch; FS Standard; IP 40; Right angle terminal; Hinge lever; 0.49N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AV3624613-A	Panasonic Subminiature Switch; FS Standard; IP 40; Right angle terminal; Hinge lever; 0.98N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AV3634613-A	Panasonic Subminiature Switch; FS Standard; IP 40; Right angle terminal; Long hinge lever; 0.98N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AV3642-A	Panasonic Subminiature Switch; FS Standard; IP 40; Right angle terminal; Simulated roller lever; 0.49N	100
AV3642613-A	Panasonic Subminiature Switch; FS Standard; IP 40; Right angle terminal; Simulated roller lever; 0.49N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AV3644613-A	Panasonic Subminiature Switch; FS Standard; IP 40; Right angle terminal; Simulated roller lever; 0.98N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AV365461-A	Panasonic Subminiature Switch; FS Standard; IP 40; Right angle terminal; Roller lever; 0.98N; Gold clad triple layer	100
AV37023-A	Panasonic Subminiature Switch; FS Standard; IP 40; Left angle terminal; Pin plunger; 0.49N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AV37243-A	Panasonic Subminiature Switch; FS Standard; Left angle terminal; Hinge lever; 0.98 N; UL/CSA/VDE/SEMKO	100
AV3724613-A	Panasonic Subminiature Switch; FS Standard; Left angle terminal; Hinge lever; 0.98 N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AV37423-A	Panasonic Subminiature Switch; FS Standard; IP 40; Left angle terminal; Simulated roller lever; 0.49N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AV37543-A	Panasonic Subminiature Switch; AV3(FS) switch; Standard; Left angle terminal; Roller lever; 0.98 N; UL/CSA/VDE/SEMKO	100
AV3754613-A	Panasonic Subminiature Switch; AV3 (FS) switch; Standard; Left angle terminal; Roller lever; 0.98 N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AV38023-A	Panasonic Subminiature Switch; FS Standard; IP 40; 110 Quick connect terminal; Pin plunger; 0.49N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AV38043-A	Panasonic Subminiature Switch; Standard; 110 Quick connected terminal; Pin plunger; 0.98 N; UL/CSA/VDE/SEMKO	100
AV381011613-A	Panasonic Subminiature Switch; FS Standard; IP 40; 110 Quick connect terminal; Short hinge lever; 0.25N; forward; Gold clad triple layer; UL/CSA/VDE/SEM	100
AV381411613-A	Panasonic Subminiature Switch; FS Standard; IP 40; 110 Quick connect terminal; Short hinge lever; 0.98N; forward; Gold clad triple layer; UL/CSA/VDE/SEM	100
AV3832613-A	Panasonic Subminiature Switch; FS Standard; IP 40; 110 Quick connect terminal; Long hinge lever; 0.49N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AV3834613-A	Panasonic Subminiature Switch; FS Standard; IP 40; 110 Quick connect terminal; Long hinge lever; 0.98N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AV38523-A	Panasonic Subminiature Switch; 110 Quick connect terminal; Roller lever; 0.49N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AV3854613-A	Panasonic Subminiature Switch; FS Standard; IP 40; 110 Quick connect terminal; Roller lever; 0.98N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AV400461	Panasonic Superminiature Switch; IP40; Solder terminal with mounting holes 1,65mm; Pin plunger; 0.98N; Gold contact	50
AV4004	Panasonic Superminiature Switch; IP40; Solder terminal with mounting holes 1,65mm; Pin plunger; 0.98N; Silver contact	50
AV402461	Panasonic Superminiature Switch; IP40; Solder terminal with mounting holes 1,65mm; Hinge lever; 0.98N; Gold contact	50
AV4024	Panasonic Superminiature Switch; IP40; Solder terminal with mounting holes 1,65mm; Hinge lever; 0.98N; Silver contact	50
AV404461	Panasonic Superminiature Switch; IP40; Solder terminal with mounting holes 1,65mm; Simulated roller lever; 0.98N; Gold contact	50

AV4044	Panasonic Superminiature Switch; IP40; Solder terminal with mounting holes 1,65mm; Simulated roller lever; 0,98N; Silver contact	50
AV440461	Panasonic Superminiature Switch; IP40; PC board straight terminal; Pin plunger; 0,98N; Gold contact	50
AV4404	Panasonic Superminiature Switch; IP40; PC board straight terminal; Pin plunger; 0,98N; Silver contact	50
AV442461	Panasonic Superminiature Switch; IP40; PC board straight terminal; Hinge lever; 0,98N; Gold contact	50
AV4424	Panasonic Superminiature Switch; IP40; PC board straight terminal; Hinge lever; 0,98N; Silver contact	50
AV444461	Panasonic Superminiature Switch; IP40; PC board straight terminal; Simulated roller lever; 0,98N; Gold contact	50
AV4444	Panasonic Superminiature Switch; IP40; PC board straight terminal; Simulated roller lever; 0,98N; Silver contact	50
AV450461	Panasonic Superminiature Switch; IP40; PC board right angle terminal; Pin plunger; 0,98N; Gold contact	50
AV4504	Panasonic Superminiature Switch; IP40; PC board right angle terminal; Pin plunger; 0,98N; Silver contact	50
AV452461	Panasonic Superminiature Switch; IP40; PC board right angle terminal; Hinge lever; 0,98N; Gold contact	50
AV4524	Panasonic Superminiature Switch; IP40; PC board right angle terminal; Hinge lever; 0,98N; Silver contact	50
AV454461	Panasonic Superminiature Switch; IP40; PC board right angle terminal; Simulated roller lever; 0,98N; Gold contact	50
AV4544	Panasonic Superminiature Switch; IP40; PC board right angle terminal; Simulated roller lever; 0,98N; Silver contact	50
AV460461	Panasonic Superminiature Switch; IP40; PC board left angle terminal; Pin plunger; 0,98N; Gold contact	50
AV4604	Panasonic Superminiature Switch; IP40; PC board left angle terminal; Pin plunger; 0,98N; Silver contact	50
AV462461	Panasonic Superminiature Switch; IP40; PC board left angle terminal; Hinge lever; 0,98N; Gold contact	50
AV4624	Panasonic Superminiature Switch; IP40; PC board left angle terminal; Hinge lever; 0,98N; Silver contact	50
AV464461	Panasonic Superminiature Switch; IP40; PC board left angle terminal; Simulated roller lever; 0,98N; Gold contact	50
AV4644	Panasonic Superminiature Switch; IP40; PC board left angle terminal; Simulated roller lever; 0,98N; Silver contact	50
AV62221264-	Panasonic Subminiature Switch; SPST NC; Hinge lever; Lever position Backward; 0.35N; Gold clad double layer	100
AV62521264-	Panasonic Subminiature Switch; SPST NC; Roller lever; 0.50 N; Backward; Gold clad double layer	100
AV63221264-	Panasonic Subminiature Switch; SPST NO; Hinge lever; Lever position Backward; 0.35N; Gold clad double layer	100
AV634264-A	Panasonic Subminiature Switch; SPST NO; Simulated roller lever; 0.50N; Gold clad double layer	100
AV63521264-	Panasonic Subminiature Switch; SPST NO; Roller lever; 0.50 N; Backward; Gold clad double layer	100
AVL32053-A	Panasonic Subminiature Switch; FS T Long life; Solder terminal; Pin plunger; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVL3205613-	Panasonic Subminiature Switch; FS T Long life; Solder terminal; Pin plunger; 1.47N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AVL32153-A	Panasonic Subminiature Switch; FS T Long life; Solder terminal; Short hinge lever; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVL3215613-	Panasonic Subminiature Switch; FS T Long life; Solder terminal; Short hinge lever; 1.47N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AVL321561-A	Panasonic Subminiature Switch; FS T Long life; Solder terminal; Short hinge lever; 1.47N; Gold clad triple layer	100
AVL3225113-	Panasonic Subminiature Switch; FS T Long life; Solder terminal; Hinge lever; 1.47N; forward; UL/CSA/VDE/SEMKO	100
AVL32253-A	Panasonic Subminiature Switch; FS T Long life; Solder terminal; Hinge lever; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVL3225613-	Panasonic Subminiature Switch; FS T Long life; Solder terminal; Hinge lever; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVL322561-A	Panasonic Subminiature Switch; FS T Long life; Solder terminal; Hinge lever; 1.47N; Gold clad triple layer	100
AVL3225-A	Panasonic Subminiature Switch; FS T Long life; Solder terminal; Hinge lever; 1.47N; AgNi alloy	100
AVL32353-A	Panasonic Subminiature Switch; FS T Long life; Solder terminal; Hinge lever; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVL3235-A	Panasonic Subminiature Switch; FS T Long life; Solder terminal; Long hinge lever; 1.47N; AgNi alloy	100
AVL32453-A	Panasonic Subminiature Switch; FS T Long life; Solder terminal; Simulated roller lever; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVL324561-A	Panasonic Subminiature Switch; FS T Long life; Solder terminal; Simulated roller lever; 1.47N; Gold clad triple layer	100
AVL32553-A	Panasonic Subminiature Switch; FS T Long life; Solder terminal; Roller lever; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVL3255613-	Panasonic Subminiature Switch; FS T Long life; Solder terminal; Roller lever; 1.47N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AVL34053-A	Panasonic Subminiature Switch; FS T Long life; PC terminal; Pin plunger; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVL3405613-	Panasonic Subminiature Switch; FS T Long life; PC terminal; Pin plunger; 1.47N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AVL340561-A	Panasonic Subminiature Switch; FS T Long life; PC terminal; Pin plunger; 1.47N; Gold clad triple layer	100
AVL3405-A	Panasonic Subminiature Switch; FS T Long life; PC terminal; Pin plunger; 1.47N; AgNi alloy	100
AVL34153-A	Panasonic Subminiature Switch; FS T Long life; PC terminal; Short hinge lever; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVL34253-A	Panasonic Subminiature Switch; FS T Long life; PC terminal; Hinge lever; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVL342561-A	Panasonic Subminiature Switch; FS T Long life; PC terminal; Hinge lever; 1.47N; Gold clad triple layer	100
AVL34353-A	Panasonic Subminiature Switch; FS T Long life; PC terminal; Long hinge lever; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVL34453-A	Panasonic Subminiature Switch; FS T Long life; PC terminal; Simulated roller lever; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVL344561-A	Panasonic Subminiature Switch; FS T Long life; PC terminal; Simulated roller lever; 1.47N; Gold clad triple layer	100
AVL3455113-	Panasonic Subminiature Switch; FS T Long life; PC terminal; Roller lever; 1.47N; forward; UL/CSA/VDE/SEMKO	100
AVL34551161	Panasonic Subminiature Switch; FS T Long life; PC terminal; Roller lever; 1.47N; forward; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AVL34553-A	Panasonic Subminiature Switch; FS T Long life; PC terminal; Roller lever; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVL345553-A	Panasonic Subminiature Switch; AVL3 (FS T long life ver.) switch; Long life; PC terminal; Roller lever; 1.47 N; UL/CSA/VDE/SEMKO	100
AVL3455613-	Panasonic Subminiature Switch; FS T Long life; PC terminal; Roller lever; 1.47N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AVL345561-A	Panasonic Subminiature Switch; FS T Long life; PC terminal; Roller lever; 1.47N; Gold clad triple layer	100
AVL3455-A	Panasonic Subminiature Switch; FS T Long life; PC terminal; Roller lever; 1.47N; AgNi alloy	100
AVL38053-A	Panasonic Subminiature Switch; FS T Long life; 110 Quick connect terminal; Pin plunger; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVL3805613-	Panasonic Subminiature Switch; FS T Long life; 110 Quick connect terminal; Pin plunger; 1.47N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AVL38059-A	Panasonic Subminiature Switch; FS T Long life; 110 Quick connect terminal; Pin plunger; 1.47N; AgNi alloy; UL/CSA	100
AVL3815118-	Panasonic Subminiature Switch; FS T Long life; 110 Quick connect terminal; Short hinge lever; 1.47N; forward lever position; Gold clad triple layer; VDE/	100
AVL38153-A	Panasonic Subminiature Switch; FS T long life; 110 Quick connected terminal; Short hinge lever; 1.47 N; Gold clad triple layer; UL/CSA/SEMKO	100
AVL3815613-	Panasonic Subminiature Switch; FS T Long life; 110 Quick connect terminal; Short hinge lever; 1.47N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AVL3815-A	Panasonic Subminiature Switch; FS T Long life; 110 Quick connect terminal; Short hinge lever; 1.47N; AgNi alloy	100
AVL38253-A	Panasonic Subminiature Switch; FS T Long life; Solder terminal; Hinge lever; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVL3835613-	Panasonic Subminiature switch; Long life; 110 Quick connect terminal; Long hinge lever; 1.47 N; Gold clad triple layer; UL/CSA/VDE/SEMKO.	100
AVL3835-A	Panasonic Subminiature Switch; FS T Long life; 110 Quick connect terminal; Long hinge lever; 1.47N; AgNi alloy	100
AVL38453-A	Panasonic Subminiature Switch; FS T Long life; 110 Quick connect terminal; Long hinge lever; 1.47N; AgNi alloy	100
AVL3845613-	Panasonic Subminiature Switch; (FS T long life ver.) switch; Long life; 110 Quick connected terminal; Simulated roller lever; 1.47 N; Gold clad triple layer;	100
AVL3855118-	Panasonic Subminiature Switch; FS T Long life; 110 Quick connect terminal; Long hinge lever; 1.47N; AgNi alloy	100
AVL38553-A	Panasonic Subminiature Switch; FS T Long life; 110 Quick connect terminal; Roller lever; 1.47N; UL/CSA/VDE/SEMKO	100
AVL3855613	Panasonic Subminiature Switch; FS T Long life; 110 Quick connect terminal; Roller lever; 1.47N; Gold clad contact; UL/CSA/VDE/SEMKO	100
AVM31053-A	Panasonic Subminiature Switch; FS Long life; IP 40; Solder terminal with guard; Hinge lever; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100

AVM31253-A	Panasonic Subminiature Switch; FS Long life; IP 40; Solder terminal with guard; Hinge lever; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVM31353-A	Panasonic Subminiature Switch; FS Long life; IP 40; Solder terminal with guard; Long hinge lever; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVM31453-A	Panasonic Subminiature Switch; FS Long life; IP 40; Solder terminal with guard; Hinge lever; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVM32053-A	Panasonic Subminiature Switch; FS Long life; IP 40; Solder terminal without guard; Pin plunger; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVM3205613-A	Panasonic Subminiature Switch; FS Long life; IP 40; Solder terminal without guard; Pin plunger; 1.47N; Gold clad tripler layer; UL/CSA/VDE/SEMKO	100
AVM32153-A	Panasonic Subminiature Switch; FS Long life; IP 40; Solder terminal without guard; Short hinge lever; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVM3215613-A	Panasonic Subminiature Switch; FS long life; Solder terminal without guard; short hinge lever; 1.47N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AVM32253-A	Panasonic Subminiature Switch; FS Long life; IP 40; Solder terminal without guard; Hinge lever; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVM3225613-A	Panasonic Subminiature Switch; FS Long life; IP 40; Solder terminal without guard; Hinge lever; 1.47N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AVM32353-A	Panasonic Subminiature Switch; FS Long life; IP 40; Solder terminal without guard; Long Hinge lever; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVM32553-A	Panasonic Subminiature Switch; FS Long life; IP 40; Solder terminal without guard; Roller lever; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVM3255613-A	Panasonic Subminiature Switch; FS Long life; IP 40; Solder terminal without guard; Roller lever; 1.47N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AVM34053-A	Panasonic Subminiature Switch; FS Long life; IP 40; Self standing PC terminal; Pin plunger; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVM3405613-A	Panasonic Subminiature Switch; FS Long life; IP 40; Self standing PC terminal; Pin plunger; 1.47N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AVM34153-A	Panasonic Subminiature switch; Self standing PC terminal; Short hinge lever; 1.47 N; UL/CSA/VDE/SEMKO	100
AVM34253-A	Panasonic Subminiature Switch; FS Long life; IP 40; Self standing PC terminal; Hinge lever; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVM34353-A	Panasonic Subminiature Switch; FS Long life; IP 40; Self standing PC terminal; Long hinge lever; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVM3435613-A	Panasonic Subminiature Switch; FS Long life; IP 40; Self standing PC terminal; Long hinge lever; 1.47N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AVM34453-A	Panasonic Subminiature Switch; FS Long life; IP 40; Self standing PC terminal; Simulated roller lever; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVM34553-A	Panasonic Subminiature Switch; FS Long life; IP 40; Self standing PC terminal; Roller lever; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVM35053-A	Panasonic Subminiature switch; Long life; Internationally common pitch PC terminal; Pin plunger; 1.47 N; UL/CSA/VDE/SEMKO	100
AVM3505613-A	Panasonic Subminiature Switch; FS Long life; IP 40; International common pitch terminal; Pin plunger; 1.47N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AVM35253-A	Panasonic Subminiature switch; Long life; Internationally common pitch PC terminal; Hinge lever; 1.47 N; UL/CSA/VDE/SEMKO	100
AVM35553-A	Panasonic Subminiature switch; Long life; Internationally common pitch PC terminal; Roller lever; 1.47 N; UL/CSA/VDE/SEMKO	100
AVM36053-A	Panasonic Subminiature Switch; FS Long life; IP 40; Right angle terminal; Pin plunger; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVM3605613-A	Panasonic Subminiature Switch; FS Long life; IP 40; Right angle terminal; Pin plunger; 1.47N; AgNi alloy; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AVM36153	Panasonic Subminiature Switch; FS Long life; IP 40; Right angle terminal;Short hinge lever;OF= 1.47N; AgNi alloy; UL/c UL; ENEC/VDE	100
AVM36253-A	Panasonic Subminiature Switch; FS Long life; IP 40; Right angle terminal; Hinge lever; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVM36353-A	Panasonic Subminiature Switch; FS Long life; IP 40; Right angle terminal; Long hinge lever; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVM3635613-A	Panasonic Subminiature Switch; FS Long life; IP 40; Right angle terminal; Long hinge lever; 1.47N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AVM36453	Panasonic Subminiature Switch; FS Long life; IP 40; Right angle terminal; Simulated roller lever; OF= 1.47N; AgNi alloy; UL/c UL; ENEC/VDE	100
AVM36553-A	Panasonic Subminiature Switch; Right angle terminal; Roller lever; 1.47 N; UL/CSA/VDE/SEMKO	100
AVM365561	Panasonic Subminiature switch (FS inline terminal type, long life); IP40; right angel terminal; roller lever; 1.47N; Au clad triple layer	100
AVM3655613	Panasonic Subminiature switch (FS inline terminal type, long life); IP40; right angel terminal; roller lever; 1.47N; Au clad triple layer; UL / C UL / ENEC / V	100
AVM37053-A	Panasonic Subminiature Switch; FS Long life; IP 40; Left angle terminal; Pin plunger; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVM3705613-A	Panasonic Subminiature Switch; FS Long life; IP 40; Left angle terminal; Pin plunger; 1.47N; AgNi alloy; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AVM3715613-A	Panasonic Subminiature Switch; FS Long life; IP 40; Left angle terminal; Short hinge lever; 1.47N; Ag clad triple layer; UL/CSA/VDE/SEMKO	100
AVM37253-A	Panasonic Subminiature Switch; FS Long life; IP 40; Left angle terminal; Hinge lever; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVM3725613-A	Panasonic Subminiature Switch; FS Long life; IP 40; Left angle terminal; Hinge lever; 1.47N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AVM37353-A	Panasonic Subminiature Switch; FS Long life; IP 40; Left angle terminal; Long hinge lever; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVM37453-A	Panasonic Subminiature switch; Left angle terminal; Simulated roller lever; 1.47 N; UL/CSA/VDE/SEMKO	100
AVM37553-A	Panasonic Subminiature switch; Left angle terminal; Roller lever;OF= 1.47 N; UL/c UL; ENEC/VDE	100
AVM375561	Panasonic Subminiature switch (FS inline terminal type, long life); IP40; left angel terminal; roller lever; 1.47N; Au clad triple layer	100
AVM3755613	Panasonic Subminiature switch (FS inline terminal type, long life); IP40; left angel terminal; roller lever; 1.47N; Au clad triple layer; UL / C UL / ENEC / VD	100
AVM38053-A	Panasonic Subminiature Switch; FS Long life; IP 40; 110 Quick connect terminal; Pin plunger; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVM3805613-A	Panasonic Subminiature Switch; FS Long life; IP 40; 110 Quick connect terminal; Pin plunger; 1.47N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AVM38153-A	Panasonic Subminiature Switch; 110 Quick connect terminal; Short hinge lever; 1.47N; Standard; AgNi alloy ; UI/CSA/VDE/SEMKO	100
AVM3845613	Panasonic Subminiature Switch; FS Long life; IP 40; 110 Quick connect terminal; Simulated roller lever; 0.54N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AVM38553-A	Panasonic Subminiature Switch; FS Long life; IP 40; 110 Quick connect terminal; Roller lever; 1.47N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVT3200613-A	Panasonic Subminiature Switch; IP 40; Solder terminal; Pin plunger; 0.25N; Au clad triple layer; UL/CSA/VDE/SEMKO	100
AVT32023-A	Panasonic Subminiature Switch; IP 40; Solder terminal; Pin plunger; 0.49N; Silver alloy; UL/CSA/VDE/SEMKO	100
AVT3202613-A	Panasonic Subminiature Switch; IP 40; Solder terminal; Pin plunger; 0.49N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AVT320261-A	Panasonic Subminiature Switch; IP 40; Solder terminal; Pin plunger; 0.49N; Au clad triple layer	100
AVT32043-A	Panasonic Subminiature Switch; IP 40; Solder terminal; Pin plunger; 0.98N; Silver alloy; UL/CSA/VDE/SEMKO	100
AVT320461-A	Panasonic Subminiature Switch; IP 40; Solder terminal; Pin plunger; 0.98 N; Au clad triple layer	100
AVT3204-A	Panasonic Subminiature Switch; IP 40; Solder terminal; Pin plunger; 0.98 N; Silver alloy	100
AVT3210613-A	Panasonic Subminiature Switch; FS T Standard; IP 40; Solder terminal; Short hinge lever; 0.25N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AVT321261-A	Panasonic Subminiature Switch; IP 40; Solder terminal; Short hinge lever; 0.49N; Au clad triple layer	100
AVT3212-A	Panasonic Subminiature Switch; IP 40; Solder terminal; Short hinge lever; 0.25N; Au clad triple layer	100
AVT32143-A	Panasonic Subminiature Switch; IP 40; Solder terminal; Short hinge lever; 0.49N; Silver alloy	100
AVT3214613-A	Panasonic Subminiature Switch; IP 40; Solder terminal; Short hinge lever; 0.98N; Silver alloy; UL/CSA/VDE/SEMKO	100
AVT321461-A	Panasonic Subminiature Switch; IP 40; Solder terminal; Short hinge lever; 0.98N; Silver alloy; UL/CSA/VDE/SEMKO	100
AVT3220613-A	Panasonic Subminiature Switch; IP 40; Solder terminal; Short hinge lever; 0.98N; Silver alloy	100
AVT32223-A	Panasonic Subminiature Switch; IP 40; Solder terminal; Hinge lever; 0.49N; Silver alloy; UL/CSA/VDE/SEMKO	100
AVT3222613-A	Panasonic Subminiature Switch; IP 40; Solder terminal; Hinge lever; 0.49N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AVT32243-A	Panasonic Subminiature Switch; IP 40; Solder terminal; Hinge lever; 0.49N; Silver alloy	100
AVT322461-A	Panasonic Subminiature Switch; IP 40; Solder terminal; Hinge lever; 0.98N; Silver alloy; UL/CSA/VDE/SEMKO	100
AVT3224-A	Panasonic Subminiature Switch; IP 40; Solder terminal; Hinge lever; 0.98N; Au clad triple layer	100
AVT32321161	Panasonic Subminiature Switch; Standard; Solder terminal; Long Hinge lever; forward; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AVT32323-A	Panasonic Subminiature Switch; IP 40; Solder terminal; Hinge lever; 0.98N; Silver alloy	100
AVT3232613-A	Panasonic Subminiature Switch; IP 40; Solder terminal; Long hinge lever; 0.49N; Silver alloy; UL/CSA/VDE/SEMKO	100
AVT32343-A	Panasonic Subminiature Switch; IP 40; Solder terminal; Long hinge lever; 0.98N; Silver alloy; UL/CSA/VDE/SEMKO	100
AVT323461-A	Panasonic Subminiature Switch; IP 40; Solder terminal; Long hinge lever; 0.98N; Gold Clad Triple Layer	100

AVT32423-A	Panasonic Subminiature Switch; IP 40; Solder terminal; Simulated roller lever; 0,49N; Silver alloy; UL/CSA/VDE/SEMKO	100
AVT3242613-	Panasonic Subminiature Switch: Solder terminal; Simulated roller lever; 0,49N; Au clad triple layer; UL/CSA/VDE/SEMKO	100
AVT324261-A	Panasonic Subminiature Switch: Solder terminal; Simulated roller lever; 0,49N; Au clad triple layer	100
AVT3242-A	Panasonic Subminiature Switch: Solder terminal; Simulated roller lever; 0,49N; Silver alloy	100
AVT32443-A	Panasonic Subminiature Switch; IP 40; Solder terminal; Simulated roller lever; 0,98N; Silver alloy; UL/CSA/VDE/SEMKO	100
AVT3244613-	Panasonic Subminiature Switch; IP 40; Solder terminal; Simulated roller lever; 0,98N; Au clad triple layer	100
AVT324461-A	Panasonic Subminiature Switch; IP 40; Solder terminal; Simulated roller lever; 0,98N; Au clad triple layer	100
AVT32523-A	Panasonic Subminiature Switch; IP 40; Solder terminal; Roller lever; 0,49N; Silver alloy; UL/CSA/VDE/SEMKO	100
AVT3252613	Panasonic Subminiature Switch; IP 40; Solder terminal; Roller lever; 0,20N; Au clad triple layer; UL/CSA/VDE/SEMKO	100
AVT3252613-	Panasonic Subminiature Switch; FS T Standard; IP 40; Solder terminal; Roller lever; 0,49N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AVT32543-A	Panasonic Subminiature Switch; FS T Standard; IP 40; Solder terminal; Roller lever; 0,49N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AVT32544-A	Panasonic Subminiature Switch; IP 40; Solder terminal; Roller lever; 0,98N; Silver alloy; UL/CSA/VDE/SEMKO	100
AVT3254613-	Panasonic Subminiature Switch; IP 40; Solder terminal; Roller lever; 0,98N; Au clad triple layer; UL/CSA/VDE/SEMKO	100
AVT32549-A	Panasonic Subminiature Switch; IP 40; Solder terminal; Roller lever; 0,98N; Silver alloy; UL/CSA/VDE/SEMKO	100
AVT3400613-	Panasonic Subminiature Switch; IP 40; PC terminal; Pin plunger; 0,25N; Au clad triple layer; UL/CSA/VDE/SEMKO	100
AVT3402-A	Panasonic Subminiature Switch; IP 40; PC terminal; Pin plunger; 0,49N; Silver alloy	100
AVT34043-A	Panasonic Subminiature Switch; IP 40; PC terminal; Pin plunger; 0,98N; Silver alloy; UL/CSA/VDE/SEMKO	100
AVT3404613-	Panasonic Subminiature Switch; IP 40; PC terminal; Pin plunger; 0,98N; Au clad triple layer; UL/CSA/VDE/SEMKO	100
AVT340461-A	Panasonic Subminiature Switch; IP 40; PC terminal; Pin plunger; 0,98N; Au clad triple layer	100
AVT3412613	Panasonic Subminiature Switch; IP 40; PCB terminal; Short hinge lever; 0,20N; Au clad triple layer; UL/CSA/VDE/SEMKO	100
AVT34143-A	Panasonic Subminiature Switch; IP 40; PC terminal; Short hinge lever; 0,98N; Silver alloy; UL/CSA/VDE/SEMKO	100
AVT3414613-	Panasonic Subminiature Switch; PC terminal; Short hinge lever; 0,98 N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AVT3420613-	Panasonic Subminiature Switch; FS T Standard; IP 40; PC terminal; Hinge lever; 0,25N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AVT342061-A	Panasonic Subminiature Switch; IP 40; PC terminal; Hinge lever; 0,25N; Au clad triple layer	100
AVT34223-A	Panasonic Subminiature Switch; IP 40; PC terminal; Hinge lever; 0,49N; Silver alloy; UL/CSA/VDE/SEMKO	100
AVT342461-A	Panasonic Subminiature Switch; IP 40; PC terminal; Hinge lever; 0,98N; Silver alloy; UL/CSA/VDE/SEMKO	100
AVT34323-A	Panasonic Subminiature Switch; IP 40; PC terminal; Long hinge lever; 0,49N; Silver alloy; UL/CSA/VDE/SEMKO	100
AVT34343-A	Panasonic Subminiature Switch; IP 40; PC terminal; Long hinge lever; 0,98N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVT343461-A	Panasonic Subminiature Switch; IP 40; PC terminal; Long hinge lever; 0,49N; Silver alloy	100
AVT3434-A	Panasonic Subminiature Switch; IP 40; PC terminal; Long hinge lever; 0,98N; Au clad triple layer	100
AVT34423-A	Panasonic Subminiature Switch; FS Standard; PC terminal; Simulated roller lever; 0,49N; UL/CSA/VDE/SEMKO	100
AVT34443-A	Panasonic Subminiature Switch; IP 40; PC terminal; Long hinge lever; 0,98N; Silver alloy	100
AVT344461-A	Panasonic Subminiature Switch; IP 40; PC terminal; Simulated roller lever; 0,98N; Au clad triple layer	100
AVT3444-A	Panasonic Subminiature Switch; IP 40; PC terminal; Simulated roller lever; 0,98N; Silver alloy	100
AVT3452613	Panasonic Subminiature Switch; IP 40; PCB terminal; Roller lever; 0,20N; Au clad triple layer; UL/CSA/VDE/SEMKO	100
AVT3452-A	Panasonic Subminiature Switch; IP 40; PC terminal; Roller lever; 0,49N; Silver alloy	100
AVT3454613	Panasonic Subminiature Switch; IP 40; PCB terminal; Roller lever; 0,39N; Au clad triple layer; UL/CSA/VDE/SEMKO	100
AVT345461-A	Panasonic Subminiature Switch; IP 40; PC terminal; Roller lever; 0,98N; Au clad triple layer	100
AVT3454-A	Panasonic Subminiature Switch; IP 40; PC terminal; Roller lever; 0,98N; Silver alloy	100
AVT38023-A	Panasonic Subminiature Switch; FS T Standard; IP 40; 110 Quick connect terminal; Pin plunger; 0,49N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVT3802613-	Panasonic Subminiature Switch; FS T Standard; IP 40; 110 Quick connect terminal; Pin plunger; 0,49N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AVT3802619-	Panasonic Subminiature Switch; FS T Standard; IP 40; 110 Quick connect terminal; Pin plunger; 0,49N; Gold clad triple layer; UL/CSA	100
AVT38043-A	Panasonic Subminiature Switch; Standard; 110 Quick connected terminal; Short hinge lever; 1,47 N; UL/CSA/VDE/SEMKO	100
AVT3804-A	Panasonic Subminiature Switch; FS T Standard; IP 40; 110 Quick connect terminal; Pin plunger; 0,98N; AgNi alloy	100
AVT38123-A	Panasonic Subminiature Switch; FS T Standard; IP 40; 110 Quick connect terminal; Short hinge lever; 0,49N	100
AVT3814-A	Panasonic Subminiature Switch; FS T Standard; IP 40; 110 Quick connect terminal; Short hinge lever; 0,49N; AgNi alloy	100
AVT38223-A	Panasonic Subminiature Switch; FS T Standard; IP 40; 110 Quick connect terminal; Hinge lever; 0,49N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVT3822613-	Panasonic Subminiature Switch; 110 Quick connect terminal; Hinge lever; 0,49 N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AVT38243-A	Panasonic Subminiature Switch; FS T Standard; IP 40; 110 Quick connect terminal; Hinge lever; 0,98N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVT38323-A	Panasonic Subminiature Switch; FS T Standard; IP 40; 110 Quick connect terminal; Hinge lever; 0,98N; AgNi alloy	100
AVT38343-A	Panasonic Subminiature Switch; FS T Standard; IP 40; 110 Quick connect terminal; Long hinge lever; 0,49N; Ag Ni alloy; UL/CSA/VDE/SEMKO	100
AVT38443-A	Panasonic Subminiature Switch; FS T Standard; IP 40; 110 Quick connect terminal; Long hinge lever; 0,98N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVT3844613-	Panasonic Subminiature Switch; 110 Quick connect terminal; Simulated roller lever; 0,98 N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AVT3844-A	Panasonic Subminiature Switch; FS T Standard; IP 40; 110 Quick connect terminal; Simulated roller lever; 0,98N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AVT38523-A	Panasonic Subminiature Switch; FS T Standard; IP 40; 110 Quick connect terminal; Roller lever; 0,49N; UL/CSA/VDE/SEMKO	100
AVT3852613-	Panasonic Subminiature Switch; FS T Standard; IP 40; 110 Quick connect terminal; Roller lever; 0,49N; Gold clad triple layer; UL/CSA/VDE/SEMKO	100
AVT38543-A	Panasonic Subminiature Switch; FS T Standard; IP 40; 110 Quick connect terminal; Long hinge lever; 0,49N; AgNi alloy; UL/CSA/VDE/SEMKO	100
AS1720B	Panasonic Solenoid Valve driver, current limitation, PWM switching operation	1000
T106AF	Panasonic Toggle switch T 06 Series; 1 pole; ON OFF; Solder terminal; Cadmium free	20
T106DF	Panasonic Toggle switch T 06 Series; 1 pole; ON ON; Solder terminal; Cadmium free	20
T110A-AF	Panasonic T 10 series Toggle switch	20
T110A-ULF	Panasonic T 10 series Toggle switch	20
T110D-AF	Panasonic T 10 series Toggle switch	20
T110DULF	Panasonic T 10 series Toggle switch	20
T115A-AULF	Panasonic T 15 series switches Toggle type	20
T115A-SULF	Panasonic T 15 series switches Toggle type	20
T115AULF	Panasonic T 15 series switches Toggle type	20
T115D-AULF	Panasonic T 15 series switches Toggle type	20
T115D-SULF	Panasonic T 15 series switches Toggle type	20
T115DULF	Panasonic T 15 series switches Toggle type	20
T115E-AULF	Panasonic T 15 series switches Toggle type	20
T115E-SULF	Panasonic T 15 series switches Toggle type	20
T115EULF	Panasonic T 15 series switches Toggle type	20

T115F-AULF	Panasonic T 15 series switches	Toggle type	20
T115F-SULF	Panasonic T 15 series switches	Toggle type	20
T115FULF	Panasonic T 15 series switches	Toggle type	20
T115G-AF	Panasonic T 15 series switches	Toggle type	20
T115G-SULF	Panasonic T 15 series switches	Toggle type	20
T115GULF	Panasonic T 15 series switches	Toggle type	20
T115H-AULF	Panasonic T 15 series switches	Toggle type	20
T115H-SULF	Panasonic T 15 series switches	Toggle type	20
T115HULF	Panasonic T 15 series switches	Toggle type	20
T206NF	Panasonic T 10 series	Toggle switch	20
T210K-AF	Panasonic T 10 series; Toggle switch; Cadmium free		20
T210K-ULF	Panasonic T 10 series; Toggle switch; Cadmium free		20
T210N-AF	Panasonic Toggle switch; 2 pole; ON ON; solder terminals;		20
T210NULF	Panasonic T 10 series; Toggle switch; Cadmium free		20
T215K-AULF	Panasonic T 15 series switches, Toggle type, 2 pole, Cadmium free		20
T215K-SULF	Panasonic T 15 series switches, Toggle type, 2 pole, Cadmium free		20
T215KULF	Panasonic T 15 series switches, Toggle type, 2 pole, Cadmium free		20
T215N-AULF	Panasonic T 15 series switches; Toggle switch; Cadmium free		20
T215N-SULF	Panasonic T 15 series switches; Toggle switch; Cadmium free		20
T215N-ULF	Panasonic T 15 series switches; Toggle switch; Cadmium free		20
T215P-AULF	Panasonic T 15 series switches; Toggle switch; Cadmium free		20
T215P-SULF	Panasonic T 15 series switches; Toggle switch; Cadmium free		20
T215PULF	Panasonic T 15 series switches; Toggle switch; Cadmium free		20
T215R-AULF	Panasonic T 15 series switches; Toggle switch; Cadmium free		20
T215R-SULF	Panasonic T 15 series switches; Toggle switch; Cadmium free		20
T215RULF	Panasonic T 15 series switches; Toggle switch; Cadmium free		20
T215S-AULF	Panasonic T 15 series switches; Toggle switch; Cadmium free		20
T215S-SULF	Panasonic T 15 series switches; Toggle switch; Cadmium free		20
T215SULF	Panasonic T 15 series switches; Toggle switch; Cadmium free		20
T215T-AULF	Panasonic T 15 series switches; Toggle switch; Cadmium free		20
T215T-SULF	Panasonic T 15 series switches; Toggle switch; Cadmium free		20
T215TULF	Panasonic T 15 series switches; Toggle switch; Cadmium free		20
T315K-AULF	Panasonic T 15 series switches	Toggle type	20
T315K-SULF	Panasonic T 15 series switches	Toggle type	20
T315K-ULF	Panasonic T 15 series switches	Toggle type	20
T315N-ULF	Panasonic T 15 series switches	Toggle type	20
T315N-AULF	Panasonic T 15 series switches	Toggle type	20
T315N-SULF	Panasonic T 15 series switches	Toggle type	20
T315P-SULF	Panasonic T 15 series switches	Toggle type	20
T315P-AULF	Panasonic T 15 series switches	Toggle type	20
T315P-ULF	Panasonic T 15 series switches	Toggle type	20
T415K-AULF	Panasonic Toggle Switch T15 Serie; 250 Quick connect terminal; 4 pole; ON OFF; Cadmium free		20
T415K-SULF	Panasonic Toggle Switch T15 Serie; Screw terminal; 4 pole; ON OFF; Cadmium free		20
T415N-AULF	Panasonic Toggle Switch T15 Serie; 4 pole; ON ON; 250 Quick connect terminal; Cadmium free		20
T415N-SULF	Panasonic Toggle Switch T15 Serie; 4 pole; ON ON; Screw terminal; Cadmium free		20
T415NULF	Panasonic Toggle Switch T15 Serie; 4 pole; Cadmium free		20
T415P-AULF	Panasonic Toggle Switch T15 Serie; 4 pole; ON OFF ON; 250 Quick connect terminal; Cadmium free		20
TC115A-F	Panasonic Toggle Switch, Wire lead; 1 pole; ON OFF; without UL approval		20
TP215S-	Panasonic T 15 series switches	Toggle type	20
TRP215S-	Panasonic Rocker switch panel sealed type; 15A/250VAC; 2 pole; <ON> OFF <ON> momentary operation; screw terminal; without indication on actuator		20
WD1811Z	Panasonic Silicone rubber cap for switches		50
WDB1821B	Panasonic T 15 series switches	push button type	20